

Fair Scheduling in Cellular Systems in the Presence of Noncooperative Mobiles

Veeraruna Kavitha, Eitan Altman, *Fellow, IEEE*, R. El-Azouzi, and Rajesh Sundaresan, *Senior Member, IEEE*

Abstract—We consider the problem of “fair” scheduling the resources to one of the many mobile stations by a centrally controlled base station (BS). The BS is the only entity taking decisions in this framework based on truthful information from the mobiles on their radio channel. We study the well-known family of parametric α -fair scheduling problems from a game-theoretic perspective in which some of the mobiles may be noncooperative. We first show that if the BS is unaware of the noncooperative behavior from the mobiles, the noncooperative mobiles become successful in snatching the resources from the other cooperative mobiles, resulting in unfair allocations. If the BS is aware of the noncooperative mobiles, a new game arises with BS as an additional player. It can then do better by neglecting the signals from the noncooperative mobiles. The BS, however, becomes successful in eliciting the truthful signals from the mobiles only when it uses additional information (signal statistics). This new policy along with the truthful signals from mobiles forms a Nash equilibrium (NE) that we call a Truth Revealing Equilibrium. Finally, we propose new iterative algorithms to implement fair scheduling policies that robustify the otherwise nonrobust (in presence of noncooperation) α -fair scheduling algorithms.

Index Terms—Channel quality indicator, fairness, incentive compatibility, scheduling, signaling game, truth revelation.

I. INTRODUCTION

SHORT-TERM fading arises in a mobile wireless radio communication system in the presence of scatterers, resulting in time-varying channel gains. Various cellular networks have downlink shared data channels that use scheduling mechanisms to exploit the fluctuations of the radio conditions (e.g., 3GPP HSDPA [4] and CDMA/HDR [10] or 1xEV-DO [3]). A central scheduling problem in wireless communications is that of allocating resources to one of many mobile stations that share a common radio channel. A lot of attention has been given to the design of efficient and fair scheduling schemes that are centrally controlled by a base station (BS) whose decisions depend on the channel conditions of each mobile. These networks

Manuscript received August 01, 2012; revised February 06, 2013; accepted March 11, 2013; approved by IEEE/ACM TRANSACTIONS ON NETWORKING Editor S. Kasper. Date of publication April 08, 2013; date of current version April 14, 2014. This work was supported by the Indo-French Centre for the Promotion of Advanced Research (IFCPAR) under Project 4000-IT-1, the Indo-French Centre for Applied Mathematics, and the INRIA Associates Programmes DAWN and GANESH. The work of E. Altman and R. El-Azouzi was supported by the Bionets European Project and the RNRT-ANR WiNEM Project.

V. Kavitha is with the Indian Institute of Technology, Bombay (IITB), Bombay 400076, India (e-mail: vkavitha@iitb.ac.in).

E. Altman is with the Maestro Group, INRIA, 06902 Sophia Antipolis, France.

R. El-Azouzi is with the LIA, University of Avignon, 84000 Avignon, France.

R. Sundaresan is with the Indian Institute of Science (IISc), Bangalore 560012, India.

Digital Object Identifier 10.1109/TNET.2013.2253562

use various fairness criteria [6], [8] called generalized α -fair criteria to design a class of parametric scheduling algorithms (which we henceforth call α -fair scheduling algorithms or α -FSA). One special case, proportional fair sharing (PFS), has been intensely analyzed as applied to the CDMA/HDR system. See [5], [9], [10], [13], [14], [20], and [23]. These results are applicable to the 3GPP HSDPA system as well. Kushner and Whiting [18] analyzed the PFS algorithm using stochastic approximation techniques and showed that the asymptotic averaged throughput can be driven to optimize a certain system utility function (sum of logarithms of offset-rates). See also Stolyar [24].

The BS is the only entity taking decisions in all the above methods, and the BS depends crucially on truthful reporting of their channel states by the mobiles. For example, in the frequency-division duplex system, the BS has no direct information on the channel gains, but transmits downlink pilots and relies on the mobiles' reported values of gains on these pilots for scheduling. A cooperative mobile will truthfully report this information to the BS. A noncooperative mobile will, however, send a signal that is likely to induce the scheduler to behave in a manner beneficial to the mobile.

Examples of nonstandard, noncooperative, and aggressive transmission behavior are reported in WLANs. For example, Mare *et al.* [2] report that certain implementations attempt more frequently than the specifications in the IEEE 802.11 standard. Bianchi *et al.* [1] also report noncooperative behavior. This is presumably because the particular equipment provider wants to make its devices more competitive. Such behavior may occur in any system that uses an opportunistic scheduler in the downlink to profit from multiuser diversity (e.g., HSDPA, EV-DO). For instance, a noncooperative mobile can modify its 3G mobile devices or laptops 3G PC cards, either by using Software Development Kit (SDK) or the device firmware [26], in order to usurp time-slots at the expense of cooperative mobiles, hence denying them network access. Users of future devices and software hackers may have the ability to reprogram their mobile devices to gain scheduling advantage.

In [15] and [16], we analyzed efficient scheduling (the special case with $\alpha = 0$, wherein the scheduler maximizes the sum throughput at the BS) in the presence of noncooperation by modeling the interaction as a signaling game [25]. In this paper, we consider the α -fair schedulers with $\alpha > 0$, where fairness is also an important concern. The signaling game cannot be used here because the utilities of the BS are not expected utilities, but are concave combinations of the users' expected utilities. Furthermore, α -fair scheduler (with $\alpha > 0$) has an inherent feedback feature (more details in Section II) that makes the study difficult and different from the efficient scheduling [15], [16] case. This paper has contributions to three main areas.

Networking aspects:

- 1) When the base station is unaware of the noncooperative behavior, we identify cases where noncooperation results in an unfair bias in the channel assignments in favor of noncooperative mobiles.
- 2) We characterize the limitation of the BS and obtain the conditions under which fair sharing is not possible even when the BS is aware of noncooperation.
- 3) We show that the ability to achieve fair sharing, in the presence of noncooperation, depends on the parameter α .
- 4) We design robust iterative algorithms that, under suitable conditions, fairly share the resources even in the presence of noncooperative signaling.

Game-theoretical modeling:

- 1) We model a noncooperative mobile as a rational player that wishes to maximize its throughput. Since the α -fair assignment is related to the maximization of a related utility function, one can view the BS as yet another player. We thus have a game model even if there is a single noncooperative mobile.
- 2) We formulate three games of which one is a concave game. The formulation of the games turns out to be surprisingly complex. Except for the special case of $\alpha = 0$ (where the game can be shown to be equivalent to a matrix game), the games are defined over an infinite set of actions. Despite the complexities, we prove the existence of equilibria and characterize them for two games.
- 3) The third game arises when the BS is unaware of noncooperation. BS only responds to the mobiles, but in an optimal way. We model this as a noncooperative game with noncooperative mobiles as the only players. The BS optimizes the same utility, being unaware of the strategic behavior of the mobiles, however the utility also depends upon mobiles signals. The mobiles are aware of the BS optimization procedure and play to maximize their own utilities.
- 4) To analyze iterative algorithms, we consider a noncooperative game with asymptotic time limits (which equal average values of certain quantities) of the iterative algorithm as cost criteria.

Design of networking protocols based on stochastic approximation techniques:

- 1) We show that the existing α -fair scheduling algorithms [18] fail in the presence of noncooperation.
- 2) Using the extra knowledge of type statistics, we provide a modification that is robust to noncooperation.
- 3) While our focus is on the downlink of a wireless network, the same techniques are applicable in any allocation setting where fairness is of concern.

The robust policies require the additional knowledge of channel statistics. Estimating the channel statistics is well studied in many papers. For example, in frequency division duplex (FDD) systems, average channel state is available if we assume that the BS is aware of the location of the mobile, and if we assume that the state distribution is a function of the location only. In time division duplex (TDD) systems, the BS may be able to make uplink measurements and apply it to downlink, thanks to uplink-downlink duality. These do not depend on whether the mobile is cooperative or not. The channel distribution can then be deduced from the measured attenuation of a beacon whose power is known.




Fig. 1. User utilities versus α for $\delta = 0.1$. Mobile 1 is noncooperative when $\delta > 0$.




Fig. 2. User utilities versus α for $\delta = 0.5$. Mobile 1 is noncooperative when $\delta > 0$.

We finally end this section by motivating the problem using a simple example.

A. Motivating Example

We consider two users sharing a common channel. User 1 has two channel states with utilities 7 and 3 occurring with probabilities 0.33 and 0.67, respectively. User 2 has constant channel with utility 4. The BS has to assign the channel to one of the two users for every realization of the channel state, and every such assignment rule results in a pair of users' average utilities. The BS uses an α -fair scheduler (described in Section II) to allocate the channel resources. First, we assume that both users cooperate and report their individual channel states correctly. In Figs. 1 and 2 (see the curves with $\delta = 0$; δ is a noncooperation parameter and will be introduced in the next paragraph), we plot the average utilities obtained by users under α -fair scheduler as a function of the fairness parameter α . We make the following observations.

- 1) For every α , the BS always allocates the channel to user 1 if he is in good state.
- 2) For $\alpha = 0$, the expected share of user 1 (7×0.33) is less than that of the user 2 ($(1 - 0.33) \times 4$). This corresponds to efficient scheduling point.
- 3) For small values of α , BS allocates the channel to user 1 only when he is in good state.
- 4) The expected share of user 1 increases while that of user 2 decreases as α increases, and eventually the shares become equal. To achieve this, the BS starts allocating the channel to the user 1, even when that user is in the bad state with increasing probability.

The above scenario depends crucially upon the truthful reporting of channel by the user 1. Now, suppose that user 1 is

noncooperative, wishes to increase his utility, and declares to be in good state 7 with probability δ when actually in bad state 3. BS now observes the “good channel” signal from user 1 with higher probability $0.33 + \delta \times 0.67$ and will schedule as before but based on reported channel conditions. In Figs. 1 and 2, we plot the resulting expected utilities of both the users as a function of fairness α for $\delta = 0.1, \delta = 0.5$, respectively. We observe that the utility of user 1 for small values of α is improved in comparison to its cooperative utility. *This also reduces the utility of the user 2 below its cooperative share, resulting in unfair allocations.* In game-theoretic terms, reporting the truth is not an equilibrium. This holds for all values of $\alpha \leq 1.75, \alpha \leq 6.85$, respectively, for $\delta = 0.5, \delta = 0.1$. However, for α greater than the above values, user 1 loses; in fact, its utility gets below its cooperative share, while that of the user 2 is much above its cooperative share. The above example indicates the following regarding the α -fair scheduler.

- 1) It might be robust against noncooperation for large values of α .
- 2) It fails for smaller values of α .
- 3) The larger the δ , the larger the amount of gain at $\alpha = 0$.
- 4) The larger the δ , the smaller the α till which the mobile gains.
- 5) The above observations suggest also that the only scheduler robust to all kinds of noncooperation (here $\delta > 0$) is the max-min fair scheduler ($\alpha = \infty$). The study of this noncooperation and design of robust policies is the focus of our paper.

II. PROBLEM SETTING AND α -FAIR SCHEDULER

We consider the downlink of a wireless network with one BS. There are M mobiles competing for the downlink data channel. Time is divided into small intervals or slots. In each slot, one of the M mobiles is allocated the channel. Each mobile m can be in one of the states $h_m \in \mathcal{H}_m$, where \mathcal{H}_m is a finite valued set. We assume fading characteristics to be independent across the mobiles. Let $\mathbf{h} := [h_1, h_2, \dots, h_M]^T$ be the vector of channel gains in a particular slot. The channel gains are distributed according to: $p_{\mathbf{h}}(\mathbf{h}) = \prod_{i=1}^M p_{h_i}(h_i)$, where $\{p_{h_m}; m \leq M\}$ represent the statistics of the mobile channels. When the mobile's channel state is h_m , it can achieve a maximum utility given by $f(h_m)$. An example of utility is the rate $f(h_m) = r(m) = \log(1 + h_m^2 \text{SNR})$ where SNR captures the nominal received signal-to-noise ratio under no channel variation.

In every slot, the BS has to make scheduling decisions, i.e., allocate the downlink slot to one of the M users, based on the current realization of the channel state vector \mathbf{h} . For any set \mathcal{C} , let $\mathcal{P}(\mathcal{C})$ be the set of probability measures on \mathcal{C} . A BS's decision is a *function* β that assigns to any given \mathbf{h} an element in $\mathcal{P}(\{1, 2, \dots, M\})$, the probability distribution over the set of users. Thus, $\beta(m|\mathbf{h})$ is the probability that the BS schedules current slot to mobile m given channel state vector \mathbf{h} . One can view β , the scheduling policy, as a vector in \mathcal{R}^B space,¹ with

¹In major parts of our work (except for the stochastic approximation based algorithms), we deal with the situation in which the channel states can take one of the finitely many values, which in turn implies that the system has finite choices of transmission rates. It is in these cases that we can assume $\beta \in \mathcal{R}^B$. Indirectly, we are assuming that each of the channel states represent an interval of the actual channel state realizations.

$B := M|\mathcal{H}|$, where $|\mathcal{H}|$ is the cardinality of the product space $\mathcal{H} = \prod_{m=1}^M \mathcal{H}_m$ and it takes values in the set

$$\mathcal{D} = \left\{ \beta \in \mathcal{R}^B : \sum_{m=1}^M \beta(m|\mathbf{h}) = 1, \beta(m|\mathbf{h}) \geq 0 \text{ for all } \mathbf{h}, m \right\}.$$

We introduce the well-known generalized α -fair criterion [6] where the quantity that we wish to share fairly is the expectation of the random (instantaneous) utilities corresponding to the assignment by the scheduler to the mobiles. Required level of fairness (dictated by parameter α) is achieved (see [6]) by an assignment that maximizes the following function:

$$G^\alpha(\beta) := \sum_{m=1}^M \Gamma^\alpha(\theta_m(\beta)) \quad (1)$$

where $\theta_m(\beta) := \mathbb{E}_{\mathbf{h}}[f(h_m)\beta(m|\mathbf{h})]$ is the expected share of mobile m under policy β , and the α -fair system utility function is

$$\Gamma^\alpha(u) := \begin{cases} \log(u), & \text{for } \alpha = 1 \\ \frac{u^{1-\alpha}}{1-\alpha}, & \text{for } \alpha \geq 0, \alpha \neq 1. \end{cases}$$

The objective function G^α given by (1) is concave and continuous in β for each α , while the domain \mathcal{D} is compact and convex. Hence, *there always exists a cooperative α -fair scheduling BS strategy β^**

$$\beta^* \in \arg \max_{\beta \in \mathcal{D}} G^\alpha(\beta). \quad (2)$$

Remark II-1: We may view the BS's schedule as a static optimization problem that corresponds to a single choice of β . Notice that the optimal schedule β^* maximizes some function of the *expected* shares of utilities. This expected share depends on assignments at all channel states and is therefore a joint optimization problem. This feature arises when $\alpha > 0$. When $\alpha = 0$, the problem is separable, and the solution $\beta^*(\cdot|\mathbf{h})$ for a given \mathbf{h} depends only on that \mathbf{h} . Indeed, for $\alpha > 0$, the implicit (3) below highlights a certain “feedback” that is absent in case when $\alpha = 0$. *This makes the present study significantly different from our previous work on efficient scheduling with strategic mobiles* [15], [16].

Below, we show a key (feedback) property of α fair schedulers. Define β^* as the vector (fixed point) that satisfies (if it exists) the following:

$$\beta^*(m|\mathbf{h}) = \frac{1_{\{m \in \arg \max_j d\Gamma^\alpha(\theta_j(\beta^*))f(h_j)\}}}{|\arg \max_j d\Gamma^\alpha(\theta_j(\beta^*))f(h_j)|} \quad (3)$$

where $d\Gamma^\alpha(\theta_j(\beta)) := d\Gamma^\alpha/du|_{u=\theta_j(\beta)}$ is the derivative of Γ^α with respect to (w.r.t.) u evaluated at $\theta_j(\beta)$ and $\arg \max$ is the set of indices that attain the maximum. We now have Lemma 1.

Lemma 1: If there is a β^* satisfying (3), then β^* is a global maximizer of the objective function in (2) over domain \mathcal{D} and hence is an α -fair scheduler.

Let $\Theta := [\theta_1 \dots \theta_M]^T$, $\Theta(\beta) := [\theta_1(\beta) \dots \theta_M(\beta)]^T$ and $\Theta(\mathcal{D}) := \{\Theta(\beta) : \beta \in \mathcal{D}\}$. The map $\Theta \mapsto \sum_m \Gamma^\alpha(\theta_m)$ is strictly concave. Hence, there exists a unique maximizer (of the expected assigned shares) over the convex set $\Theta(\mathcal{D})$

$$\Theta^* = \max_{\Theta \in \Theta(\mathcal{D})} \sum_m \Gamma^\alpha(\theta_m). \quad (4)$$

Hence, if there is a β^* satisfying (3), then $\Theta^* = \Theta(\beta^*)$. Furthermore, any β^* that is a global maximum of the objective function (2) satisfies the “efficiency” property: Whenever $f(h_m) > f(h'_m)$

$$\begin{aligned} & \text{either } \beta^*(m|h_m, \mathbf{h}_{-m}) > \beta^*(m|h'_m, \mathbf{h}_{-m}) \\ & \text{or } \beta^*(m|h_m, \mathbf{h}_{-m}) = \beta^*(m|h'_m, \mathbf{h}_{-m}) \in \{0, 1\} \end{aligned} \quad (5)$$

for all $\mathbf{h}_{-m} \in \prod_{j \neq m} \mathcal{H}_j$ and for all m .

Proof: Please refer to Appendix B. \diamond

Remark II-2: The assignment for particular state (h_m) for any mobile m increases with the increase in the utility ($f(h_m)$) of the state. This efficiency property is used in the analysis under noncooperation.

Remark II-3: The solution (3) explicitly shows the feedback we mentioned in Remark II-1. This solution has already been used in practical scenarios [19] to achieve “fair” scheduling: The α -fair solution for the dynamic setting with ergodic channel states is the optimal β that shares fairly the time average utilities over a single realization of a whole sample path.² In fact, the solution (3) under ergodicity can be implemented by the following procedure. 1) At any time-slot k , obtain the scheduling decision using the current channel vector \mathbf{h}_k and using the time-averaged assigned utilities obtained until the last step $\{\theta_{m,k-1}\}$ in place of $\{\theta_m(\beta^*)\}$ of (3). 2) Update (in the obvious way) the time-averaged assigned utilities up to step k , $\{\theta_{m,k}\}$, using the current scheduling decision.

A part of Lemma 1, regarding the possible solution (3), when restricted to proportional fairness, is already stated in [19].

Remark II-4: By observing the α -fair scheduler (3), one can understand the possible ways by which the required level of fairness is achieved.

- 1) Efficient scheduler ($\alpha = 0$) for any given channel state vector realization (\mathbf{h}) schedules with equal probability all the users with the highest instantaneous rate, but ignores fairness.
- 2) The scheduler in (3) with $\alpha > 0$ gives weightage to the deprived users via the gradient of the fair function Γ^α before making the scheduling decision.
- 3) The weightage depends upon the fairness index α and the expected utility θ_m that the particular user would have obtained.
- 4) The larger the fairness index α , the larger the emphasis on fairness and hence a larger weightage to the users with lesser expected utility.

III. PROBLEM FORMULATION UNDER NONCOOPERATION

In every slot, the BS needs the knowledge of \mathbf{h} for scheduling purposes. In practice, mobile m estimates channel h_m using the pilot signals sent by BS. We assume perfect channel estimation. The mobiles send signals $\{s_m\}$ to BS, as indications of the channel gains. The BS therefore does not have direct access to channel state \mathbf{h} , but instead has to rely on the mobile’s signals for the information. If the mobiles are strategic, knowing

²For ergodic channels under appropriate conditions on the function g

$$\lim_{K \rightarrow \infty} \frac{1}{K} \sum_{k=1}^K g(\mathbf{h}_k) = \mathbb{E}_{\mathbf{h}} [g(\mathbf{h})]$$

We are interested in a particular function $g(\mathbf{h}) = f(h_m)\beta(m|\mathbf{h})$ whose average is exactly $\theta_m(\beta)$.

the allocation policy, they can signal a better channel condition to grab the channel even when their channel condition is bad.

We assume that signals are chosen from the channel space itself, i.e., $s_m \in \mathcal{H}_m$ for all mobiles. We shall consider two settings: 1) unaware BS, and 2) rational BS.

Unaware BS, Game G1: The BS is unaware of the possible noncooperative behavior from the mobiles and applies the α -fair scheduler (2) to the signals $\mathbf{s} = [s_1, \dots, s_M]^T$ (as if they were the true channel values). The mobiles are aware of BS’s scheduling policy and signal to optimize their own goals. We model this as a noncooperative game with noncooperative mobiles as the players.

Rational BS: The BS is modeled as an additional player in a one-shot game. When the BS becomes aware of the possible noncooperation, it could implement better policies. We first consider an $M + 1$ player game G2, where the BS schedules using only the signals from the mobiles as before. Because of its awareness, however, it could do better than the situation of game G1, but will not be successful in compelling the mobiles to reveal their channel condition truthfully (Section V-A). In Section V-B, we construct more intelligent (policies that require more information) BS policies that would be robust against noncooperation: the new robust BS policies and the truthful signals from the mobiles form a Nash equilibrium (NE). We refer this game as game G3.

We now introduce the important concepts and definitions that are used in the paper. These are more specific to the first two game scenarios. The corresponding definitions and concepts may vary slightly for the game G3 and the differences are explained directly in Section V-B.

Common Knowledge: Channel statistics $\{p_{h_m}; m \leq M\}$ of all mobiles is common knowledge to all the mobiles and the BS. We assume that all the M mobiles are noncooperative, and this is common knowledge to all the agents (see our paper [17] for a case when only a few of them are strategic). Utilizing our robust scheduling policies (proposed toward the end of the paper), the BS can actually detect the mobiles that are noncooperative, and then this knowledge will not be required.

Mobile Policies: A policy of mobile m is a function $\{\mu_m(\cdot|h_m)\}$ that maps a state h_m to an element $\mu_m(\cdot|h_m)$ in $\mathcal{P}(\mathcal{H}_m)$, where $\mu(s_m|h_m)$ represents the probability with which the mobile signals s_m when the actual channel state is h_m .

BS Policies: A policy of the BS is a function that maps every signal vector \mathbf{s} to a scheduler $\beta \in \mathcal{P}(\{1, 2, \dots, M\})$. More complicated policies are considered in Section V-B and later.

Utilities for a Given Set of Strategies: The instantaneous/sample utility of the mobile m depends only upon the true channel h_m and the BS decision β and is given by (see Appendix A)

$$U_m(s_m, h_m, \beta) = 1_{\{\beta=m\}} \min \{f(h_m), f(s_m)\}. \quad (6)$$

Define the following to exclude mobile m :

$$\begin{aligned} \mathbf{h}_{-m} & := [h_1, \dots, h_{m-1}, h_{m+1}, \dots, h_M] \\ p_{\mathbf{h}_{-m}}(\mathbf{h}_{-m}) & := \prod_{j \neq m} p_{h_j}(h_j) \\ \mu_{-m}(\mathbf{s}_{-m}|\mathbf{h}_{-m}) & := \prod_{j \neq m} \mu_j(s_j|h_j). \end{aligned}$$

Also define, $\mu = \{\mu_m; m \leq M\}$ to represent strategy profile

$$\mu(\mathbf{s}|\mathbf{h}) := \prod_{1 \leq j \leq M} \mu_j(s_j|h_j).$$

With the above definitions, each noncooperative user chooses its strategy μ_m to maximize its own utility

$$U_m^\alpha(\mu, \beta) = \mathbb{E}_{\mathbf{h}} \left[\sum_{\mathbf{s}} U_m(s_m, h_m, m) \beta(m|\mathbf{s}) \mu(\mathbf{s}|\mathbf{h}) \right]. \quad (7)$$

Under α -fair criterion (1), the natural choice of BS utility is

$$U_{\text{BS}}^\alpha(\mu, \beta) = \sum_m \Gamma^\alpha(U_m^\alpha(\mu, \beta)). \quad (8)$$

Throughout when $\arg \max S$ has more than one element, by $i = \arg \max S$ we mean $i \in \arg \max S$. By $j := \arg \max S$ we mean that j is a chosen element of $\arg \max S$.

ASA and ATA Utilities: When mobile signals do not match the true channel values, the game under consideration will have two important average utilities for any given pair of strategy profiles (μ, β) : 1) average signaled utilities under assignment β (ASA) utility, which a (more intelligent) BS can observe; and 2) average true and assigned (ATA) utility, which is the true average utility gained by the mobile and whose value cannot be estimated (so long as the mobile is noncooperative) by the BS. These are defined by

$$U_m^{\text{ASA}}(\mu, \beta) := \mathbb{E}_{\mathbf{h}} \left[\sum_{\mathbf{s}} f(s_m) \beta(m|\mathbf{s}) \mu(\mathbf{s}|\mathbf{h}) \right] \quad (9)$$

$$U_m^{\text{ATA}}(\mu, \beta) := \mathbb{E}_{\mathbf{h}} \left[\sum_{\mathbf{s}} \min\{f(h_m), f(s_m)\} \beta(m|\mathbf{s}) \mu(\mathbf{s}|\mathbf{h}) \right]. \quad (10)$$

From (6) and (7), we see that the utility of mobile m is its ATA utility, i.e., $U_m^\alpha(\mu, \beta) = U_m^{\text{ATA}}(\mu, \beta)$.

Truth-Revealing Strategy and the TRE: In the following, by truth-revealing strategy at mobile m , we mean the strategy

$$\mu_m^T(s_m|h_m) = 1_{\{s_m=h_m\}} \quad \text{for all } h_m, s_m \in \mathcal{H}_m$$

that signals the true channel state. Let $\mu^T := (\mu_1^T, \dots, \mu_M^T)$. Under truthful strategies μ^T , ATA and ASA utilities coincide. For any BS policy β , if strategy profile (μ^T, β) forms an NE, then we call the NE a Truth Revealing Equilibrium (TRE).

Cooperative Shares: Best response of BS to truthful signals μ^T is any maximizer β^* of G^α given by (1). By Lemma 1, the best response results in unique maximum average ATA utilities

$$\theta_m^{\alpha c} := \theta_m(\beta^*) = U_m^\alpha(\mu^T, \beta^*) \quad (11)$$

which we will call Cooperative Shares.

Contrast Between Unaware BS and the Rational BS: Recall that computing a fair assignment by BS involves maximization of (1). Thus, in the first scenario, when mobiles choose profile μ , the unaware BS attempts to share ASA utilities in a fair fashion under μ by maximizing (14) (see Section IV). However, what needs to be shared fairly are the ATA utilities. This is achieved via the game perspective, wherein the rational BS tries to share the ATA utilities gained by the mobiles in a fair fashion.

IV. SCHEDULING UNDER NONCOOPERATION: UNAWARE BS, GAME PROBLEM G1

We consider the scenario in which the BS is unaware of the presence of noncooperative mobiles. As in the cooperative setting, the BS allocates the channel [using optimal scheduler (2)] to one of the mobiles. The mobile signals are assumed to reflect

the channel state perfectly. Each mobile is aware of the BS's scheduling policy and strategies to maximize its utility.

Utilities of G1: For any given mobile strategy profile μ , let the induced signal probabilities be represented by $p_{\mathbf{s}}$, i.e., $p_{\mathbf{s}}(\mathbf{s}) = \sum_{\mathbf{h}} p_{\mathbf{h}}(\mathbf{h}) \mu(\mathbf{s}|\mathbf{h})$. Since the BS observes $p_{\mathbf{s}}$ (instead of $p_{\mathbf{h}}$), it assumes the expected shares of mobile m to be $\theta_m(\mu, \beta) := \mathbb{E}_{p_{\mathbf{s}}} [f(s_m) \beta(m|\mathbf{s})]$ and hence for the purpose of scheduling, it blindly maximizes

$$\sum_m \Gamma^\alpha(\theta_m(\mu, \beta)). \quad (12)$$

We note that the expected shares $\theta_m(\mu, \beta)$ are exactly the mobile ASA utilities U_m^{ASA} and that the utility (12) maximized by BS can be referred as the ASA utility of the BS $U_{\text{BS}}^{\text{ASA}}(\mu, \beta)$. We model this as an M -player noncooperative game and study its Nash equilibrium.

Nash Equilibrium for G1: This is a profile μ^* that satisfies the following for all m :

$$\mu_m^* = \arg \max_{\mu_m} U_m^{\text{ATA}}((\mu_m, \mu_{-m}^*), \beta_{(\mu_m, \mu_{-m}^*)}^*) \quad (13)$$

where β_μ^* is the scheduler utilized by the unaware BS, which gets affected by mobiles strategies μ in the following way:

$$\beta_\mu^* = \arg \max_{\beta} U_{\text{BS}}^{\text{ASA}}(\mu, \beta). \quad (14)$$

We now present some examples in which a user m deviates unilaterally from μ^T and increases its utility above its cooperative share, resulting in unfair allocations. These examples do not have TRE for G1, i.e., truthful strategy profile μ^T is not a Nash equilibrium of G1. In particular for (14), we consider α -fair scheduler given by (3). This scheduler is widely used in practice (see Remark II-3).

A. Asymmetric Examples

1) *Proportional Fair Scheduler* ($\alpha = 1$): We continue with the motivating example of Section I. User 1 has two states with respective utilities given by rb , b and with $r > 1$. The respective probabilities to be in one of these states are p , $(1-p)$ with $p \in (1/(1+r), 1/2)$. User 2 has a single state with utility a .

Using (3), one can easily estimate β^* and $\{\theta_m(\beta^*)\}$ to be:

$$\begin{aligned} \beta^*(1|a, rb) &= 1 & \beta^*(2|a, b) &= 1 \\ \theta_1(\beta^*) &= rbp & \theta_2(\beta^*) &= a(1-p). \end{aligned} \quad (15)$$

Note that $\theta_1(\beta^*)$, $\theta_2(\beta^*)$ are the mobile's cooperative shares. It is important to note here that β^* satisfying (3) exist only if $p \in (1/(1+r), 1/2)$ because in this case

$$\begin{aligned} d\Gamma^\alpha(\theta_1(\beta^*))rb &= \frac{rb}{rbp} > \frac{a}{a(1-p)} = d\Gamma^\alpha(\theta_2(\beta^*))a \\ d\Gamma^\alpha(\theta_1(\beta^*))b &= \frac{b}{rbp} < \frac{a}{a(1-p)} = d\Gamma^\alpha(\theta_2(\beta^*))a. \end{aligned}$$

Suppose user 1 signals rb (when actually in state b) with probability q , i.e., $\mu_1(rb|b) = q$. Then, users' maximum ASA rates [note that $\beta_q^* = \beta^*$ defined in (15)] are

$$U_1^{\text{ASA}}(q, \beta_q^*) = rb(p+q) \quad U_2^{\text{ASA}}(q, \beta_q^*) = a(1-p-q)$$

respectively whenever

$$\frac{rb}{(p+q)rb} > \frac{a}{a(1-p-q)} > \frac{b}{rb(p+q)}.$$

With this, the mobile 1 obtains an improved ATA utility $U_1^{\text{ATA}}(q, \beta_q^*) = rbp + bq > \theta_1(\beta^*)$, i.e., mobile 1 is successful in improving its utility (above its cooperative share) by signaling noncooperatively. The maximum possible value of q is $q = (0.5 - p)$. \diamond

2) *Extension to General α* : Computing as before, one can show that an α -fair scheduler satisfying (3) exists, i.e., the fixed point exists, if

$$(rb)^{\alpha-1} p^\alpha < a^{\alpha-1} (1-p)^\alpha < r(rb)^{\alpha-1} p^\alpha.$$

As α increases, the maximum p for which the solution in (3) exists reduces. Thus, given (a, r, b, p) , there exists a maximum α_{max} , beyond which there does not exist an α -fair scheduler of the type (3). When the α -fair scheduler in (3) exists, the noncooperative mobile benefits. Given α , the maximum $q(\alpha)$ with which the mobile can benefit from noncooperation is

$$(p + q(\alpha))^\alpha (rb)^{\alpha-1} = a^{\alpha-1} (1 - p - q(\alpha))^\alpha.$$

For example, with $a = 4, r = 3, b = 3, p = 0.33$, the maximum α for which the α -fair scheduler in (3) exists is 7.9, and user 1 can benefit by signaling with $q = .05$ for all $\alpha \leq 4$.

3) *Generalization to More States and General α* : Consider two asymmetric users under the following assumptions:

- N.1) The cooperative α -fair solution β^* in (3) exists, and without loss of generality, let $\arg \max_m \theta_m^{\alpha c} = 1$.
- N.2) There exists an $i > 1$ such that

$$\eta := \inf_{h_2 \in \mathcal{H}_2} d\Gamma^\alpha(\theta_1^{\alpha c}) f(h_{1,i-1}) - d\Gamma^\alpha(\theta_2^{\alpha c}) f(h_2) > 0$$

where $\mathcal{H}_1 = \{h_{1,1}, \dots, h_{1,N_1}\}$ are arranged such that $f(h_{1,1}) > f(h_{1,2}) > \dots > f(h_{1,N_1})$.

Lemma 2: Under N.1 and N.2, there exists a signaling policy μ_1^δ for mobile 1 that is not a TRE, i.e., its ATA utility $U_1^{\text{ATA}}(\mu_1^\delta, (f, \beta_{\mu_1^\delta}^*))$ is larger than its cooperative share $\theta_1^{\alpha c}$.

Proof: The proof is available in Appendix C. \diamond

Assumptions N.1 and N.2 represent an example set of conditions under which the α -fair scheduler fails. The first condition ensures that a scheduler exists. The second condition ensures that there is a channel condition for mobile 1 with an advantage with respect to all the channel conditions of mobile 2. When this happens, mobile 1 can deviate by a positive amount that depends upon the gap η and obtain better utility than its cooperative share.

B. Symmetric Case

We consider a simple symmetric two mobile example. The mobiles have two states with utilities a_1, a_2 occurring respectively with probabilities p_1, p_2 . Let $a_1 = ra_2, p_1 = pp_2$ with $r > 1, p > 0$. Under truthful signaling, by Lemma 1, an α -fair optimal BS policy (for any α) is given by

$$\begin{aligned} \beta^*(1|a_1, a_1) &= \frac{1}{2} = \beta^*(1|a_2, a_2) & \beta^*(1|a_1, a_2) &= 1 \\ & & \beta^*(1|a_2, a_1) &= 0 \end{aligned}$$

with equal cooperative shares

$$\begin{aligned} \theta_1(\beta^*) &= \theta_2(\beta^*) = \left(\frac{p_1^2}{2} + p_1 p_2 \right) a_1 + p_2^2 \frac{a_2}{2} \\ &= p_2^2 a_2 \left(\frac{p^2 r + 1}{2} + pr \right). \end{aligned}$$

Without loss of generality, say mobile 1 deviates unilaterally from its truthful revelation strategy with $\mu_1(a_1|a_2) = t$. If mobile 1 was successful, its reported rate would be greater than $\theta_1(\beta^*)$, which is obtained only when its declared state is a_1 with mobile 2's being a_2 . Thus, mobile 1 will be successful with maximum ASA utilities with $\alpha = 1$ (user 1 gets allocated always and only when he signals his state as a_1)

$$U_1^{\text{ASA}} = (p_1 a_1 + p_2 t a_1) p_2 = (p + t) p_2^2 a_1$$

$$U_2^{\text{ASA}} = 1 p_1 a_1 + p_2 (1 - t) p_2 a_2 = (pr + (1 - t) p_2) p_2 a_2$$

and the corresponding ATA utility

$$U_1^{\text{ATA}} = (p_1 a_1 + p_2 t a_2) p_2 = (pr + t) p_2^2 a_2$$

if the following conditions are met:

$$\frac{a_1}{U_1^{\text{ASA}}} > \frac{a_2}{U_2^{\text{ASA}}} \quad \text{and} \quad \theta_1(\beta^*) < U_1^{\text{ATA}}$$

i.e., if $1/(p+t)p_2 > 1/(pr+(1-t)p_2)$ and $((p^2 r + 1)/2) < t$. \diamond

C. Robustness at Large α

For small values of α , α -fair scheduler fails. However, we see a different phenomenon at higher α . As α increases to infinity, the “fairness” increases, and the expected shares, i.e., ATA utilities, of all the mobiles tend to become equal [21] provided all the mobiles signal truthfully. However, in presence of noncooperation, it will be the ASA utilities that tend to become equal for higher values of α . This results in all the cooperative (ATA equal ASA utilities) mobiles getting equal ATA shares that will be bigger than that for the noncooperative (ATA are strictly less than ASA utilities) mobiles. Thus, the *α -fair scheduler (2) itself becomes more robust toward noncooperation as fairness factor α increases, though not fully unless $\alpha = \infty$, despite the BS's unawareness of the noncooperation*. This effect is seen in the motivating example as well as in Fig. 3 in Section VI. In Fig. 3, the noncooperative mobile's ATA utility diminishes as α increases and goes below its cooperative share beyond $\alpha = 0.65$. Furthermore, the cooperative mobile gets more than its cooperative share for these large values of α .

V. SCHEDULING UNDER NONCOOPERATION: GAME-THEORETIC STUDY

In this section, the BS knows about noncooperative behavior of mobiles and is considered as an additional player. We thus have an $M + 1$ player game.

A. BS Scheduling Policies of Section IV: Game G2

In contrast to Section IV, the BS knows that the mobiles are noncooperative. The resulting game is a one-shot concave game: The utility (7) of mobile m is linear in its policy μ_m , while that of the BS (8) is continuous and concave in its policy β . From results in [22], this game always has an NE³ (μ^*, β^*) that satisfies

$$\mu_m^* = \arg \max_{\mu_m} U_m^\alpha((\mu_m, \mu_{-m}^*), \beta^*) \quad \forall m$$

$$\beta^* = \arg \max_{\beta} U_{\text{BS}}^\alpha(\mu^*, \beta).$$

³Note that when adding further concave constraints, the game remains concave even if the constraints are coupled [22]. We thus obtain equilibrium also for constrained versions of the game. An example of such constraints is: the (possible weighted) sum of throughputs is bounded by a constant.

As discussed, next game G2 has a ‘‘Babbling’’ equilibrium, but does not have a TRE.

1) *G2 Has Babbling NE*: We will now show that this game has a Nash equilibrium where the BS neglects the signals from the noncooperative users. Define a scheduling policy that decides only based on the averaged utilities, i.e.,

$$\beta^* := \arg \max_{[\beta_1, \dots, \beta_M]} \sum_m \Gamma^\alpha(\beta_m E[f_m]). \quad (16)$$

Let $\tilde{h}_m := \arg \max_{h_m} f(h_m)$ for every m and let $\tilde{\mathbf{h}} = [\tilde{h}_1, \dots, \tilde{h}_M]$. Let μ^* be the policy that always signals the state with highest utility, i.e., $\mu_m^*(s_m | h_m) = 1_{\{s_m = \tilde{h}_m\}}$ for all h_m and for all m . Then, for any β and m

$$U_m^{\text{ATA}}(\mu^*, \beta) = E[f(h_m)] \beta(m | \tilde{\mathbf{h}})$$

and hence from (16), β^* is the best response of $U_{\text{BS}}^{\text{ATA}}$ under μ^* . One can easily see that the utilities U_m^{ATA} does not depend upon μ , and we have the following lemma.

Lemma 6: The pair (μ^*, β^*) forms an NE for game G2. \diamond

The NE (μ^*, β^*) is one where BS ignores the signals from the noncooperative mobiles and is similar in sense to the Babbling equilibrium defined in the context of signaling games [25]. This equilibrium is better than the equilibrium of game G1 because the noncooperative mobiles cannot grab the channel via strategic signaling. However, the BS completely neglects the signals from noncooperative mobiles, and the multiuser diversity is lost.

2) *G2 Has No TRE*: We now examine the existence of the desired TRE. The case $\alpha = 0$ of efficient scheduling was studied in [15], where G2 was modeled by a signaling game. It was shown that the game G2 has only Babbling equilibria as NE and hence does not have a TRE. We will now consider the case $\alpha > 0$ and obtain the following.

Lemma 4: The game G2 has no TRE.

Proof: Please refer to Appendix C. \diamond

Thus, the BS, even when aware of the noncooperation, is not successful in eliciting truthful signals. In the following, we construct more intelligent policies that induce a TRE.

B. Robust BS Policies: Game G3 has TRE

The BS can estimate signal statistics p_s after sufficient observation of the mobile signals. We use p_s to build robust policies for BS that give us the desired TRE. The BS now makes two decisions: 1) a scheduling decision β as before, which identifies the mobile that would be scheduled in the current time-slot; 2) an allocation decision, which identifies the portion ϕ_m of $f(s_m)$ that will be allocated. Via this allocation decision ϕ_m , the BS further controls the average utility assigned to a mobile m so as to ensure that this average does not exceed its cooperative share, $\theta_m^{\alpha c}$. The policy of BS now is a mapping that takes every ordered pair of signal and signal statistics (s, p_s) to an ordered pair $(\Phi, \beta) = \{(\phi_m(s, p_s), \beta(\cdot | s))\}$. All the utilities will change appropriately to include Φ . For example

$$U_m^\alpha(\mu, (\Phi, \beta)) = E_{\mathbf{h}} \left[\sum_s \min\{\phi_m(s, p_s), f(h_m)\} \mu(s | \mathbf{h}) \beta(m | \mathbf{s}) \right].$$

A profile $(\mu^*, (\Phi^*, \beta^*))$ is an NE for the game G3 if

$$\begin{aligned} \mu_m^* &= \arg \max_{\mu_m} U_m^\alpha((\mu_m, \mu_{-m}^*), (\Phi^*, \beta^*)), \quad \text{for all } m \\ (\Phi^*, \beta^*) &= \arg \max_{(\Phi, \beta)} U_{\text{BS}}^\alpha(\mu^*, (\Phi, \beta)). \end{aligned} \quad (17)$$

When the BS knows the signal statistics, $\{p_s\}$, it can estimate the ASA utilities for any scheduling policy and for any mobile profile μ because

$$U_m^{\text{ASA}}(\mu, (\Phi, \beta)) = U_m^{\text{ASA}}(p_s, (\Phi, \beta)) := E_s[\phi(s, p_s) \beta(m | \mathbf{s})]$$

where we have abused notation to show that U_m^{ASA} depends on μ only through p_s . The expectation in E_s is with respect to p_s . The BS can also estimate the mobiles’ cooperative shares $\{\theta_m^{\alpha c}\}$ of (11) using its prior knowledge of the channel statistics. We now propose a robust policy at the BS that uses both these average utilities. The key idea is to design a policy at the BS that does not allow the (average) utility of any mobile m to be greater than $\theta_m^{\alpha c}$.

When a noncooperative mobile uses a signaling strategy to improve its ATA utility U_m^{ATA} , even its ASA utility U_m^{ASA} improves. For each mobile m , the BS can estimate ASA utility U_m^{ASA} and sense the increase in it with respect to the cooperative share, $\theta_m^{\alpha c}$. The BS can ensure none of the mobiles is allocated more than its corresponding cooperative share by allocating only a fraction and not the total signaled utility at every sample. The fraction to be allocated is set based on the present excess over the cooperative share

$$\phi_m(s_m, p_s) := f(s_m) - (U_m^{\text{ASA}} - \theta_m^{\alpha c}) \Delta \quad (18)$$

for some large value of Δ . Hence, to ensure that none of the mobiles get more ASA utility than its cooperative share, BS chooses $\Phi = \{\phi_m\}$ to satisfy the following:

$$U_m^{\text{ASA}}(p_s, (\Phi, \beta)) = E_s[\phi_m(s_m, p_s) \beta(m | \mathbf{s}) 1_{\{\phi_m(s_m, p_s) > 0\}}]. \quad (19)$$

Equation (19) is satisfied by every fixed point of the mapping $\Theta \mapsto \Upsilon(\Theta)$, where $\Upsilon(\Theta) := [\gamma_1(\Theta) \dots, \gamma_M(\Theta)]$ with

$$\begin{aligned} \gamma_m(\Theta) &:= E_s \left[\tilde{f}_m(s_m, \theta_m) \beta(m | \mathbf{s}) 1_{\{\tilde{f}_m > 0\}} \right] \\ \tilde{f}_m(s_m, \theta_m) &:= f(s_m) - \Delta(\theta_m - \theta_m^{\alpha c}) \quad \text{for all } m \end{aligned}$$

and one is interested in the fixed points of the positive orthant.

Lemma 5:

- (i) The function $\Theta \mapsto \Upsilon(\Theta)$ has a fixed point in the positive orthant for every β , Δ , and μ .
- (ii) For any α -fair scheduler β^* given by (2) and for truthful signaling $\mu = \mu^T$, $\Theta^{\alpha c}$ is the unique fixed point of Υ .
- (iii) At any fixed point Θ^* of Υ , and for any profiles μ, β

$$\theta_m^* \leq \theta_m^{\alpha c} + O\left(\frac{1}{\Delta}\right) \quad \text{for all } m.$$

Proof: Please see Appendix C. \diamond

By the above lemma, the function Υ has at least one fixed point in positive orthant for every (μ, β) . Consider one such fixed point Θ^* and define allocation control using (18) wherein U_m^{ASA} is replaced by θ_m^* . With this allocation, the ASA utility of mobile m would indeed be θ_m^* , and its ATA utility equals

$$\begin{aligned} U_m^{\text{ATA}}(\mu, (\Phi, \beta)) &= E_{\mathbf{h}, \mathbf{s}} \left[f_m^{\text{gain}}(h_m, s_m, p_s, \beta) \beta(m | \mathbf{s}) 1_{\{\phi_m > 0\}} \right] \\ f_m^{\text{gain}}(h_m, s_m, p_s, \beta) &:= \min\{f(h_m), \phi_m(s_m, p_s)\}. \end{aligned} \quad (20)$$

Note that $f_m^{\text{gain}} \leq \phi_m$, and hence by (19) and Lemma 5(iii)

$$U_m^{\text{ATA}}(\mu, (\Phi, \beta)) \leq U_m^{\text{ASA}}(\mu, (\Phi, \beta)) \leq \theta_m^{\alpha c} + O\left(\frac{1}{\Delta}\right).$$

In other words, *with the allocation (18) at BS, no mobile can gain $O(1/\Delta)$ more than its cooperative share for any pair (μ, β) .*

Furthermore, if BS uses any α -fair scheduler β^* of (2), then by Lemma 5(ii), $\Theta^{\alpha c}$ is the unique fixed point under truthful strategies (μ^T) , and then it is easy to check using (19) and (20) and $p_s = p_h$ that

$$U_m^{\text{ASA}}(\mu^T, \beta_1^*) = U_m^{\text{ATA}}(\mu^T, \beta_1^*) = \theta_m^{\alpha c} \quad \text{for all } m.$$

We have thus proved the following result.

Theorem 1: If BS knows cooperative shares $\Theta^{\alpha c}$ and the signal statistics $\{p_s\}$, the $M + 1$ player strategic game has

$$(\mu^T, (\{\phi_m(s_m, p_s)\}, \beta^*(m|s)))$$

as an ϵ -NE,⁴ i.e., G3 has a TRE. \diamond

Until now, we looked at policies that were defined via some fixed points. One needs a method to calculate these fixed points and thereby practically implement the policies. In the coming sections, we will turn our attention to practical and iterative α -fair scheduling algorithms, which achieve precisely this computational goal. We begin by first studying α -FSA proposed and analyzed in [18]. It is already known that this algorithm converges to cooperative shares when all the mobiles are cooperative (see [18] and the same is also summarized in Section VI). We will analyze under noncooperation, utilizing the results already derived in this paper, and show that α -FSA fails under cooperation (in Section VI) and then propose a robust modification of it (in Section VII).

VI. FAIR SCHEDULER ALGORITHM (α -FSA)

From this section onwards, the channel states \mathbf{h} as well as the signaled states \mathbf{s} (the states reported by the mobiles) are continuous random variables with stationary rates across time, $\{r_{m,k}\}_{k \geq 1} = \{f(h_{m,k})\}_{k \geq 1}$, $\{r_{m,k}^s\}_{k \geq 1} = \{f(s_{m,k})\}_{k \geq 1}$ for all m , satisfying the assumptions of Appendix D.⁵

This section and Section VII use various types of rates, and hence the notations become complicated. Thus, a table (Table III) of notations specific to these two sections is given in Appendix D, where all the rate notations are listed at one place.

By assumption A.3 of Appendix D, the rates are integrable, and hence the mapping

$$\Theta \mapsto [\mathbb{E}_{\mathbf{h}}[f(h_1)\beta(1|\mathbf{h}, \Theta)], \dots, \mathbb{E}_{\mathbf{h}}[f(h_M)\beta(M|\mathbf{h}, \Theta)], \\ \text{with } \beta(m|\mathbf{h}, \Theta) = \frac{1_{\{m=\arg \max_j d\Gamma^\alpha(\theta_j)f(h_j)\}}}{\{ \arg \max_j d\Gamma^\alpha(\theta_j)f(h_j) \}}$$

has a fixed point $\bar{\Theta}$ (by Brouwer's fixed point theorem), $\beta^*(\cdot|\mathbf{h}) := \beta(\cdot|\mathbf{h}, \bar{\Theta})$ satisfies (3), and hence is an α -fair

⁴An ϵ -NE is a strategy profile that is within an additive ϵ of an NE, i.e., $U_m^\alpha(\mu_m^*, \mu_{-m}^*, \beta) > U_m^\alpha((\mu_m, \mu_{-m}^*), \beta) - \epsilon$ for all μ_m .

⁵For understanding the asymptotic limits of the dynamic algorithms of this section, we will need the results corresponding to the static settings of Section II. However, all the results of Section II correspond to discrete channel states and rates. We assume that for the more general case under study in this section, an α -fair solution of the form (3) exists and that the corresponding shares $\{\theta_m^{\alpha c}\}$ are unique as in Lemma 1. Sufficient conditions for this to occur are under study. This result is required for showing that α -FSA asymptotically converges to the cooperative shares (i.e., limits maximize the α -fair criterion) for all α . In [18], Theorem 2.3 does this job, at least approximately, for $\alpha \leq 1$: Any other assignment rule results in a limit Θ with $\sum_m \Gamma^\alpha(\theta_m)$ less than that corresponding to scheduler $\{I_m^\alpha\}$ of α -FSA (21). The simulations of this section further support our assumption.

solution. Thus, for continuous rates, we always have fixed point α -fair solution (3). We outlined an algorithm to implement α -fair scheduler (3) in Remark II-3 following Lemma 1. The α -FSA [18], a stochastic approximation-based fair scheduling algorithm, exactly follows this outline. Let $\Theta_k^\alpha := [\theta_{1,k}^\alpha, \dots, \theta_{M,k}^\alpha]$ and $\mathbf{r}_k := [r_{1,k}, \dots, r_{M,k}]$. The algorithm is

$$\theta_{m,k}^\alpha = \theta_{m,k-1}^\alpha + \epsilon_k [I_m^\alpha(\mathbf{r}_k, \Theta_{k-1}^\alpha) r_{m,k} - \theta_{m,k-1}^\alpha] \\ I_m^\alpha(\mathbf{r}, \Theta) = 1_{\{m=\arg \max_j d\Gamma^\alpha(d_j+\theta_j)r_j\}} \\ = 1_{\{m=\arg \max_j r_j(\theta_j+d_j)^{-\alpha}\}} \quad (21)$$

where d_m are small positive constants added for stability and $\epsilon_k = \epsilon/(k+1)$ for some $\epsilon > 0$. While making decisions $\{I_m^\alpha\}$, if there are more than one users attaining maximum, one of the maximizers is chosen by the BS randomly. In [18, Theorem 2.2], the authors show that $\{\theta_{m,k}^\alpha\}$ of (21), with $\alpha \leq 1$, converges weakly to the unique limit point Θ^* that satisfies $\mathbb{E}[r_m I_m^\alpha(\mathbf{r}, \Theta^*)] = \theta_m^*$ for all m . A close look at this limit point (when we neglect $\{d_m\}$) reveals that $I_m^\alpha(\mathbf{r}, \Theta^*)$ is the α -fair scheduler (3) and that Θ^* are the unique cooperative shares, $\{\theta_m(\beta^*)\} = \{\theta_m^{\alpha c}\}$. Thus, *α -FSA weakly converges to the unique point (cooperative shares) that maximizes the α -fair criterion (1).*

A. Convergence of α -FSA in the Presence of Noncooperation

The (unaware) α -FSA uses signaled rates $r_{m,k}^s := f(s_{m,k})$ and $\mathbf{r}_k^s = [r_{1,k}^s, \dots, r_{M,k}^s]^T$, in place of the corresponding true quantities \mathbf{r}_k , to make decisions as in Section IV. Here, the algorithms take the form

$$\theta_{m,k}^\alpha = \theta_{m,k-1}^\alpha + \epsilon_k [I_m^\alpha(\mathbf{r}_k^s, \Theta_{k-1}^\alpha) r_{m,k}^s - \theta_{m,k-1}^\alpha].$$

The signaled rates reflect the statistics p_s (instead of p_h). Weak convergence to an attractor can be shown (as in [18]), however the limit is a different attractor, corresponding to p_s . It is very easy to see as in Section IV that *when mobiles are noncooperative with profile μ , α -FSA converges weakly to unique maximum ASA rates $\{U_m^{\text{ASA}}(\mu, \beta_\mu^*)\}$ with β_μ^* , the best response to μ given by (14).*

B. Failure of α -FSA in Presence of Noncooperation

As noted above, the α -FSA (21) converges to the maximum ASA utility (under μ) that need not equal the ATA utility in the presence of noncooperation. However, to understand the behavior of (21) in the presence of noncooperation, one needs to study the asymptotic true utilities gained by the mobiles under (21). Toward this, we consider a second iteration running in parallel with (21), wherein the instantaneous signaled utility $r_{m,k}^s$ is replaced by the true instantaneous utility gained by the mobile $\bar{r}_{m,k} := \min\{r_{m,k}, r_{m,k}^s\}$, i.e.,

$$\bar{\theta}_{m,k}^\alpha = \bar{\theta}_{m,k-1}^\alpha + \epsilon_k [I_m^\alpha(\mathbf{r}_k^s, \Theta_{k-1}^\alpha) \bar{r}_{m,k} - \bar{\theta}_{m,k-1}^\alpha]. \quad (22)$$

As in [18], one can show that $\bar{\theta}_{m,k}^\alpha$ converges weakly to the ATA utility $U_m^{\text{ATA}}(\mu, \beta_\mu^*)$, under (μ, β_μ^*) .

Thus, the asymptotic limits of α -FSA equal the maximum ASA utilities of Section IV while the true utility adaptation (22) converges to the corresponding ATA utilities. These time limits will thus have all the properties of Section IV: The α -FSA will fail for small α and will be robust for large α as discussed in




Fig. 3. α -FSA: ASA and corresponding ATA shares versus α . Mobile 1 is non-cooperative when $\delta > 0$.

Section IV. The only difference here is that the channel rates are continuous.

C. Numerical Examples

In this section, via some numerical examples, we further illustrate that α -FSA fails under noncooperation. Two asymmetric users are considered in Fig. 3. Let $Z(\sigma^2)$ be a Rayleigh random variable with density $f_Z(z; \sigma^2) = ze^{-z^2/2\sigma^2}$. Channel state of User 1 is conditional Rayleigh distributed, i.e.,

$$h_1 \sim \frac{f_Z(z; 0.5)1_{\{z \leq 2\}} dz}{P(Z(0.5) \leq 2)}.$$

User 2 has a more diverse channel

$$h_2 \sim \frac{f_Z(z; 1)1_{\{z \leq 2\}} dz}{P(Z(1) \leq 2)}.$$

The utilities are the achievable rates $f(h) = \log(1 + h^2)$. User 1 is noncooperative and utilizes a signaling strategy mapping $h_1 \mapsto s_1(h_1)$. The utility indicated by the signals from User 1 equals: $f(s_1(h)) = f(h)(1 - \delta) + 2\delta$ with $\delta = 0.9$. We plot the limit of the α -FSA, the limits of true utility adaptation (22) as a function⁶ of α . For User 2, who is cooperative, we plot only one curve as the ATA and ASA utilities coincide. We also plot the cooperative shares obtained by the limits of α -FSA, i.e., the limits with $\delta = 0.7$. We observe that the cooperative shares tend toward equal values as $\alpha \rightarrow \infty$. User 1 is successful in gaining more (ATA) utility in comparison to its cooperative share for all α less than 0.65. Beyond 0.65, User 1 actually loses, and the loss increases as α increases. The observations are similar to that in the motivating example and indicate that α -FSA is robust only for large α .

In Table I, we consider a symmetric example. We consider the discrete channels of Section IV. This example is considered in order to demonstrate that α -FSA works/fails as already explained in this section even for the examples with discrete channel states. We consider two users, both of them having two

⁶The authors in [18] analyze these algorithms only for $\alpha \leq 1$. However, numerous examples suggest that they work for all values of α . That is, when all mobiles are cooperative, the α -FSA (for any α) converges to the unique shares that maximize the objective function (4).

⁷The cooperative shares can be estimated at the BS, *a priori*, using α -FSA (24), using the channel statistics and Monte Carlo simulations. A sequence of channel-state realizations are produced by the BS according to the given channel statistics, and the same is used as the signal from the mobiles (in other words, when $\delta = 0$) and the iteration (24) is run for sufficient iterations so as to ensure convergence. From [18], when started from a faraway point, it needs around 10 000 iterations, while lesser iterations would be required for a more accurate initial estimate of cooperative shares.

TABLE I
SYMMETRIC EXAMPLE IN WHICH α -FSA FAILS AGAINST NONCOOPERATION

$\mu_1(a_1 a_2)$	(U_1^{ATA}, U_2^{ATA})	$\sum_m U_m^{ATA}$	$\sum_m \log(U_m^{ATA})$
0 (Coop)	(1.51, 1.51)	3.02	0.824
0.8	(1.62, 1.39)	3.01	0.812
0.9	(1.72, 1.3)	3.02	0.804
0.98	(1.70, 1.3)	3.0	0.793

channel states with utilities $a_1 = 4, a_2 = 2$ occurring with probabilities $p_1 = 0.3, p_2 = 0.7$, respectively. In this example, we work only with $\alpha = 1$, i.e., the proportional fair scheduler. Both users have equal cooperative share, $\theta_1(\beta^*) = \theta_2(\beta^*) = 1.51$. Hence, when both the mobiles report the channel states truthfully, under α -FSA scheduler, the asymptotic throughputs of both the mobiles converge to 1.51, i.e., $\lim_{k \rightarrow \infty} \theta_{m,k} = 1.51$ for $m = 1, 2$. Hence, maximum proportionally fair BS (asymptotic) utility is $U_{BS}^* = 2 \log(1.51) = 0.824$.

Suppose now that User 1 becomes noncooperative with $\mu_1(a_1|a_2) = t$. We see that the User 1 is successful in grabbing the channel more often and increasing its utility in comparison to its cooperative share. The greater the inflationary signaling (the larger the value of t), the more he gains (look at the asymptotic throughput U_1^{ATA} in the second column in Table I). He gains up to 12.5% more than its cooperative share. The cooperative user, User 2, loses due to the presence of the noncooperative mobile resulting in unfair allocations.

VII. ROBUST α -FAIR ALGORITHMS: ROBUST FAIR SA

We saw that α -FSA fails in the presence of noncooperative users. Hence, we propose a robustification of α -FSA against noncooperation using the policies of Section V-B. In Section V-B, we proposed BS policies robust against noncooperation, and in this section we propose stochastic approximation-based algorithms to converge toward the ASA utilities of the policies given by (20). The policy of Section V-B requires knowledge of signal statistics p_s , which has to be estimated. The methods described in this section combine estimation and control using stochastic approximation-based methods, as done by α -FSA. We will show robustness of these policies by using appropriate game-theoretic tools as well as the results from the theory of stochastic approximation.

A. Robust Policy 1

We now propose a robustification of (21) against noncooperation in the following update algorithm:

$$\theta_{m,k+1}^{\alpha} = \theta_{m,k}^{\alpha} + \epsilon_k [\phi_{m,k+1}^{\alpha} I_m^{\alpha}(\mathbf{r}_{k+1}^s, \Theta_k^{\alpha}) - \theta_{m,k}^{\alpha}] \quad (23)$$

$$\phi_{m,k+1}^{\alpha} = \max \{0, (r_{m,k+1}^s - (\theta_{m,k}^{\alpha} - \theta_{m,k}^{\alpha c}) \Delta)\} \quad (24)$$

$$\theta_{m,0}^{\alpha} = \theta_{m,0}^{\alpha c} \quad (25)$$

where the decisions $I_m^{\alpha}(\mathbf{r}, \Theta)$ are same as those in α -FSA (21), but only the allocations $\Phi_k^{\alpha} := [\phi_{1,k}^{\alpha}, \dots, \phi_{M,k}^{\alpha}]^T$ are made robust. As in the case of α -FSA, to understand the behavior of this algorithm, we need the following iteration that estimates the true utilities gained by the mobiles:

$$\begin{aligned} \hat{\theta}_{m,k+1}^{\alpha} &= \hat{\theta}_{m,k}^{\alpha} + \epsilon_k [\hat{r}_{m,k+1}^{\alpha} I_m^{\alpha}(\mathbf{r}_{k+1}^s, \Theta_k^{\alpha}) - \hat{\theta}_{m,k}^{\alpha}] \\ \hat{r}_{m,k+1}^{\alpha} &= \min \{r_{m,k+1}, \phi_{m,k+1}^{\alpha}\}. \end{aligned} \quad (26)$$

1) *Analysis*: We analyze the robustness of the proposed algorithm using game-theoretical tools. Fix any α . We consider an $M + 1$ player game with utilities defined by

$$U_m := \lim_{k \rightarrow \infty} \hat{\theta}_{m,k+1}^\alpha \quad \text{for all } m$$

$$U_{BS} := \sum_m \Gamma^\alpha(U_m).$$

We analyze the limits of (26) using ODE approximation methods (e.g., [11] and [18]). As a first step, we obtain the following ODE approximation result.

Theorem 2: Assume that algorithms (23)–(26) satisfy assumptions A.1–A.3 of Appendix D. For any initial condition, $(\Theta_k^\alpha, \hat{\Theta}_k^\alpha)$ converges weakly to the set of limit points of the solution of the ODE (for all $m \leq M$)

$$\dot{\theta}_m = \hat{h}_m(\Theta) - \theta_m, \quad \hat{h}_m(\Theta) = \mathbb{E}[\phi_m^\alpha I_m^\alpha(\mathbf{r}^s, \Theta)] \quad (27)$$

$$\dot{\hat{\theta}}_m = \hat{h}_m(\Theta) - \hat{\theta}_m, \quad \hat{h}_m(\Theta) = \mathbb{E}[\hat{r}_m^\alpha I_m^\alpha(\mathbf{r}^s, \Theta)]. \quad (28)$$

These conclusions hold whenever $\epsilon_k \rightarrow 0$, $\sum_k \epsilon_k = \infty$ and for some $\nu_k \rightarrow \infty$, $\lim_k \sup_{0 \leq l \leq \nu_k} |\epsilon_{k+l}/\epsilon_k - 1| = 0$.

Remarks About the Proof and the Assumptions: This theorem can be proved exactly in the same way as is done for α -FSA by Kushner *et al.* [18, Theorem 2.1]. The required assumptions A.1–A.3 are also very similar to those in [18]; the true channel rates $\{\mathbf{r}_k\}$ and the signaled rates $\{\mathbf{r}_k^s\}$ should satisfy the conditions of [18]. Also by Lemma 7, the right-hand sides (RHSs) of ODEs (27) and (28) are Lipschitz, and hence the ODEs have unique solution. \diamond

Hence, one can upper-bound utilities $\{U_m\}$ by upper-bounding all the attractors of the ODE (28). Any attractor Θ^* of the ODE (27) is a zero of its right-hand side and hence is a fixed point of the map Υ of Lemma 5, and thus by Lemma 5(iii), $\theta_m^* \leq \theta_m^{\alpha c} + O(1/\Delta)$. Furthermore, any attractor of ODE (28) satisfies $\hat{\theta}_m^* = \hat{h}_m(\Theta^*)$ leading to $\hat{\theta}_m^* \leq \theta_m^*$. Thus, for any mobile strategy profile μ

$$U_m \stackrel{w}{=} \hat{\theta}_m^* \leq \theta_m^* \leq \theta_m^{\alpha c} + O\left(\frac{1}{\Delta}\right) \quad (29)$$

where $\stackrel{w}{=}$ means the limit converges in distribution. Thus, *none of the users, no matter what strategy they use or what strategies the others use, can gain more than $\theta_m^{\alpha c} + O(1/\Delta)$.*

Under μ^T , $\Theta^{\alpha c} = [\theta_1^{\alpha c}, \dots, \theta_M^{\alpha c}]^T$ is the only zero of RHSs of the ODEs (27) and (28), as can be shown using fixed point analysis [see Lemma 5(ii) and the logic just before Theorem 1 in Section V-B]. Note here that $I_m^\alpha(\mathbf{r}^s, \Theta)$ is the α -fair scheduler $\beta^*(\cdot|\mathbf{s})$ satisfying (3). Thus, $\Theta^{\alpha c}$ is the only possible attractor of both the ODEs under μ^T . Thus

$$U_m \stackrel{w}{=} \theta_m^{\alpha c} \quad \text{for all } m \text{ under } \mu^T. \quad (30)$$

From (29) and (30), *the robust policy (24) at BS together with the truth-revealing policy of users forms an ϵ -NE.*

B. Robust Policy 2

The policies of Section VII-A, Robust Policy 1, will not allow the ATA utility of any user to go above the cooperative share. Nevertheless, when a user is noncooperative, these policies may still result in a loss for the cooperative users: 1) because of the unchanged scheduling decision, the noncooperative user can still grab the channel from other users; 2) however, the noncooperative user does not gain because of the robust allocation policies (18). To avoid this problem, we may robustify not




Fig. 4. Robust Policy 1: ATA utilities versus α . Mobile 1 is noncooperative with $\delta > 0$.

only the allocations, but also the scheduling decision, by making decisions using the controlled allocations Φ^α in place of the signaled utilities \mathbf{r}^s

$$\theta_{m,k+1}^\alpha = \theta_{m,k}^\alpha + \epsilon_k [\phi_{m,k+1}^\alpha I_m^\alpha(\Phi_{k+1}^\alpha, \Theta_k^\alpha) - \theta_{m,k}^\alpha]. \quad (31)$$

The analysis of this policy would be similar to Policy 1. We need to change the assumptions of Appendix D appropriately to obtain the ODE approximation result (equivalent of Theorem 2). In particular, we need to replace the decisions $I_m^\alpha(\mathbf{r}^s, \Theta)$ with $I_m^\alpha(\Phi^\alpha, \Theta)$ in all the places. The analysis of this policy, hence after, is considerably more difficult. While all the steps can be carried out as done for Policy 1 including Lemma 7, the uniqueness of the attractor under truthful strategies μ^T remains an open question. However, numerical evidence (Section VII-C) suggests that Policy 2 is also robust. The examples also show that these policies outperform Robust Policy 1 in many ways, while Robust Policy 1 is simpler to implement.

C. Numerical Examples

We continue with the example of Fig. 3 (for which α -FSA failed). We now use Robust Policy 1 in place of α -FSA in Fig. 4. We set $\Delta = 100$. We plot only the ATA utilities for both values of $\delta = 0$, $\delta = 0.9$. We do not plot the ASA utilities in this figure to avoid clutter. However, these utilities for all the cases studied are either close to or less than the cooperative shares $\Theta^{\alpha c}$, as proved by theory. We see that this policy is indeed robust: 1) the time limits of $\{\theta_{m,k}\}$ (which correspond to ASA utilities) are either close to or less than the cooperative shares; 2) when all the mobiles are cooperative, both the ASA as well as ATA utilities are close to the cooperative shares for all the mobiles (in Fig. 4, we only plot the cooperative shares); 3) the time limit of the asymptotic true (ATA) utilities, unlike in the case of α -FSA (see the light curves in Fig. 3), are less than the cooperative shares for the noncooperative mobile (light curves in Fig. 4). This illustrates that the noncooperative mobile does not gain, but actually loses, because of noncooperation. However, the cooperative mobile (mobile 2 in Fig. 4, see the curves with circles) loses to a greater extent because of the other mobile's noncooperation. Robust Policy 1 only ensures that the mobile 1 never gains because of noncooperation, but could not prevent the cooperative mobile 2 from losing. Robust Policy 2 solves exactly this issue.

In Figs. 5 and 6, we compare the two robust policies. Here

$$h_1 \sim \frac{\int_{\mathcal{Z}} f_{\mathcal{Z}}(z; 1) 1_{\{z \leq 2\}} dz}{\Pr(Z(1) \leq 2)} \quad h_2 - .45 \sim \frac{\int_{\mathcal{Z}} f_{\mathcal{Z}}(z; 0.5) 1_{\{z \leq 2\}} dz}{\Pr(Z(0.5) \leq 2)}$$




Fig. 5. Robust Policy 1: ATA utilities of the mobiles versus α . Mobile 1 is noncooperative when $\delta > 0$. The ATA utilities at $\delta = 0$ and cooperative shares equal each other.




Fig. 6. Robust Policy 2: ATA utilities of the mobiles versus α . Mobile 1 is noncooperative when $\delta > 0$. The ATA utilities at $\delta = 0$ and cooperative shares equal each other.

$f(h) = \log(1 + h^2)$ and $\Delta = 1000$. Mobile 1, can be noncooperative using the signaled utilities

$$f(s_1(h)) = f(h) + (2 - f(h))\delta$$

with $\delta = 0.9$. In these figures, we plot only the ATA utilities at $\delta = 0$ and at $\delta = 0.9$. The ATA utilities at $\delta = 0$ are very close to the cooperative shares, and hence cooperative shares are not shown separately. The ASA utilities are again omitted for improving clarity; they are either close to or less than the corresponding cooperative shares as is suggested by theory. We see from the figures that both the policies are robust. Even with high values of $\delta = 0.9$ (which indicates a large amount of noncooperation), both the policies do not allow the ATA utilities to go beyond the cooperative shares. However, the Policy 2 is way better than the Policy 1: 1) the noncooperative mobile (mobile 1) is more severely punished in Policy 2, and its ATA utility is significantly less than the cooperative share $\theta_1^{\alpha c}$ (Fig. 6, see curves without circles), but with Policy 1, it is slightly less than $\theta_1^{\alpha c}$ (Fig. 5); 2) the cooperative mobile 2 loses because of noncooperation from the mobile 1 to a much greater extent in Policy 1 (compare the curves with circles in Figs. 5 and 6). This is in line with the extra robustification built into decision making by Policy 2. When BS uses Policy 1, the noncooperative mobile grabs the channel more often (almost always with large values of $\delta = 0.9$). It, however, does not gain much because of the robust allocation (18). When the mobile is aware that he cannot gain from being noncooperative, he prefers to signal truthfully, unless the intention is to jam the other mobile (in which case the BS needs to use Policy 2). However, Policy 1 is easier to

TABLE II
ROBUST POLICY 1 AGAINST NONCOOPERATION EXAMPLE OF TABLE I

$\mu_1(a_1 a_2) =$	True Rates (U_1^{ATA}, U_2^{ATA})	$\sum_m U_m^{ATA}$	$U_{BS} =$ $\sum_m \log(U_m^{ATA})$
0 (Coop)	(1.51, 1.51)	3.02	0.824
0.8	(1.30, 1.41)	2.7	0.606
0.9	(1.31, 1.37)	2.68	0.585
0.98	(1.32, 1.36)	2.68	0.585

implement than the Policy 2 because of simpler decisions and may have faster convergence.

In Table II, we continue with the symmetric example of Table I wherein α -FSA fails. We see once again that (even with discrete and symmetric conditions) Policy 1 is robust against noncooperation; it does not allow the noncooperative user to improve his asymptotic throughput.

VIII. SUMMARY

We studied centralized downlink transmissions in a cellular network in the presence of noncooperative mobiles. Using the α -fair scheduler, the BS has to assign the slot to one of the many mobiles based on truthful information from mobiles about their time-varying channel gains. A noncooperative mobile may misrepresent its signal to the BS so as to maximize his throughput. We modeled a noncooperative mobile as a rational player who wishes to maximize his throughput. For this game, we identified several scenarios related to the awareness of BS. When the BS is unaware of this noncooperative behavior, we modeled this game as a noncooperative game with the mobiles alone as players. We identified that the presence of noncooperative users results in a bias in the channel assignment for small values of α . As α increases, an α -fair scheduler becomes more and more robust to noncooperation irrespective of the awareness of the BS, and a max-min fair scheduler is always robust. When the BS is aware of the noncooperative mobiles, we characterized a Babbling equilibrium that is obtained when both the BS and the noncooperative players make no use of the signaling opportunities. This game has no TRE. Using additional knowledge of the statistics of the signals observed at the BS, we built new robust policies to elicit truthful signals from mobiles, and we achieved a Truth Revealing Equilibrium. We then studied the popular iterative and fair scheduling algorithm (which we called α -FSA) analyzed by Kushner and Whiting in [18]. We showed that α -FSA fails under noncooperation. Finally, we proposed iterative robust fair sharing to robustify the α -FSA in the presence of noncooperation.

APPENDIX A

REMARKS ON CHOICE OF UTILITY

Even if a mobile signals more than its true value and the BS attempts to transmit at that higher transmitted rate, the actual rate at which the transmission takes place will still be $f(h_m)$. This is reasonable given the following observations. The reported channel is usually subject to estimation errors and delays, an aspect that we do not consider explicitly in this paper. To address this issue, the BS employs a *rateless* code, i.e., starts at an aggressive modulation and coding rate, gets feedback from the mobile after each transmission, and stops as soon as a sufficient number of redundant bits are received to meet the decoding requirements. This incremental redundancy technique supported

by hybrid ARQ is already implemented in the aforementioned standards (3GPP HSDPA and 1xEV-DO). Then, a rate close to the true utility may be achieved.

APPENDIX B
PROOF OF LEMMA 1

Proof of Lemma 1: Since Γ^α is a concave function

$$G^\alpha(\beta) - G^\alpha(\beta^*) \leq \sum_m [\theta_m(\beta) - \theta_m(\beta^*)] d\Gamma^\alpha(\theta_m(\beta^*)). \quad (32)$$

From (3), β^* maximizes the function

$$\begin{aligned} \beta &\mapsto \sum_m \theta_m(\beta) d\Gamma^\alpha(\theta_m(\beta^*)) \\ &= \mathbb{E}_{\mathbf{h}} \left[\sum_m f(h_m) d\Gamma^\alpha(\theta_m(\beta^*)) \beta(m|\mathbf{h}) \right] \end{aligned}$$

over \mathcal{D} , and hence we have

$$\sum_m [\theta_m(\beta) - \theta_m(\beta^*)] d\Gamma^\alpha(\theta_m(\beta^*)) \leq 0.$$

This along with (32) proves that β^* is a global maximizer of the objective function in (2) over domain \mathcal{D} and hence is a α -fair solution (2).

Most of the times there may not be a unique global optimizer for the α -fair objective function. However, uniqueness of Θ^* follows from strict concavity of the mapping

$$\Theta \mapsto \sum_m \Gamma^\alpha(\theta_m)$$

and the fact that \mathcal{D} is compact and convex. From the uniqueness and Lemma 6 below, the last statement follows.

Lemma 6: Consider a BS policy β that is inefficient in the following sense. Without loss of generality, consider the mobile indexed by 1. If there exists an $h_1, h'_1 \in \mathcal{H}_1$ and $\bar{\mathbf{h}}_{-1} \in \Pi_{m>1} \mathcal{H}_m$ such that

$$0 < \beta(1|h_1, \bar{\mathbf{h}}_{-1}) \leq \beta(1|h'_1, \bar{\mathbf{h}}_{-1}) < 1 \text{ when } f(h_1) > f(h'_1) \quad (33)$$

then one can construct a better BS policy $\tilde{\beta}$ that yields $\theta_m(\tilde{\beta}) = \theta_m(\beta)$ for all $m > 1$ and $\theta_1(\tilde{\beta}) > \theta_1(\beta)$. One can construct a better policy even if there exists an $h_1, h'_1 \in \mathcal{H}_1$ and $\bar{\mathbf{h}}_{-1} \in \Pi_{m>1} \mathcal{H}_m$ such that

$$0 \leq \beta(1|h_1, \bar{\mathbf{h}}_{-1}) < \beta(1|h'_1, \bar{\mathbf{h}}_{-1}) \leq 1 \text{ when } f(h_1) > f(h'_1).$$

Proof: We first construct a better policy for the condition (33). Define a new policy $\tilde{\beta}$: for all m , let

$$\tilde{\beta}(m|\mathbf{h}) = \beta(m|\mathbf{h}) \text{ when } \mathbf{h} \neq (h_1, \bar{\mathbf{h}}_{-1}) \text{ or } \mathbf{h} \neq (h'_1, \bar{\mathbf{h}}_{-1}).$$

We will pickup constants $\{\epsilon_{m,1}\}, \{\epsilon_{m,2}\}$ such that for all m

$$\begin{aligned} \tilde{\beta}(m|h_1, \bar{\mathbf{h}}_{-1}) &= \beta(m|h_1, \bar{\mathbf{h}}_{-1}) + \epsilon_{m,1} \\ \tilde{\beta}(m|h'_1, \bar{\mathbf{h}}_{-1}) &= \beta(m|h'_1, \bar{\mathbf{h}}_{-1}) + \epsilon_{m,2} \end{aligned}$$

and such that the constructed policy $\tilde{\beta}$ satisfies the requirements of the lemma. First, we note that the sum $\sum_m \epsilon_{m,j}$ needs to be zero for both $j = 1, 2$, i.e., $\sum_m \epsilon_{m,j} = 0$. This is required because the newly constructed policy should satisfy

$\sum_m \tilde{\beta}(m|\mathbf{h}) = 1$ for all $\mathbf{h} \in \Pi_m \mathcal{H}_m$. Let $\mathbf{h}_{-1,m}$ represent the component of \mathbf{h}_{-1} corresponding to the m th user. Then, since

$$\begin{aligned} \theta_m(\tilde{\beta}) &= \theta_m(\beta) + \epsilon_{m,1} f(\bar{\mathbf{h}}_{-1,m}) p_{h_1}(h_1) p_{\mathbf{h}_{-1}}(\bar{\mathbf{h}}_{-1}) \\ &\quad + \epsilon_{m,2} f(\bar{\mathbf{h}}_{-1,m}) p_{h_1}(h'_1) p_{\mathbf{h}_{-1}}(\bar{\mathbf{h}}_{-1}) \\ &= \theta_m(\beta) + [\epsilon_{m,1} p_{h_1}(h_1) + \epsilon_{m,2} p_{h_1}(h'_1)] \\ &\quad \times f(\bar{\mathbf{h}}_{-1,m}) p_{\mathbf{h}_{-1}}(\bar{\mathbf{h}}_{-1}) \end{aligned}$$

to make $\theta_m(\beta) = \theta(\tilde{\beta})$, we need to set for all $m > 1$

$$\epsilon_{m,1} = -\epsilon_{m,2} \frac{p_{h_1}(h'_1)}{p_{h_1}(h_1)}$$

and hence

$$\epsilon_{1,1} = -\sum_{m>1} \epsilon_{m,1} = -\sum_{m>1} \epsilon_{m,2} \frac{p_{h_1}(h'_1)}{p_{h_1}(h_1)} = -\epsilon_{1,2} \frac{p_{h_1}(h'_1)}{p_{h_1}(h_1)}.$$

Thus

$$\begin{aligned} \theta_1(\tilde{\beta}) &= \theta_1(\beta) + \epsilon_{1,1} f(h_1) p_{h_1}(h_1) p_{\mathbf{h}_{-1}}(\bar{\mathbf{h}}_{-1}) \\ &\quad + \epsilon_{1,2} f(h'_1) p_{h_1}(h'_1) p_{\mathbf{h}_{-1}}(\bar{\mathbf{h}}_{-1}) \\ &= \theta_1(\beta) + \epsilon_{1,1} p_{\mathbf{h}_{-1}}(\bar{\mathbf{h}}_{-1}) p_{h_1}(h_1) [f(h_1) - f(h'_1)] > 0 \end{aligned}$$

if we set $\epsilon_{1,1} > 0$ and because of the following.

- Because $\epsilon_{1,1} > 0$, we need $\sum_{m>1} \epsilon_{m,1} < 0$ and thus need at least one $m > 1$ such that $\beta(m|h_1, \bar{\mathbf{h}}_{-1}) > 0$. This is always possible under the hypothesis of the lemma, as otherwise

$$\beta(1|h_1, \bar{\mathbf{h}}_{-1}) = 1 \geq \beta(1|h'_1, \bar{\mathbf{h}}_{-1})$$

and hence contradicts the hypothesis.

- $\epsilon_{1,2} < 0$, and hence we need $\beta(1|h'_1, \bar{\mathbf{h}}_{-1}) > 0$, which is also true because of the hypothesis.

The above two reasons are required to ensure the basic necessity of the policy: $0 \leq \tilde{\beta}(m|\mathbf{h}) \leq 1$.

The maximum value of $\epsilon_{1,1}$ is easily seen to be

$$\sum_{m>1} \min \{ \beta(m|h_1, \bar{\mathbf{h}}_{-1}), 1 - \beta(m|h'_1, \bar{\mathbf{h}}_{-1}) \}.$$

The last condition can also be taken care in a similar way. For example, if there exists an $h_1, h'_1 \in \mathcal{H}_1$ and $\bar{\mathbf{h}}_{-1} \in \Pi_{m>1} \mathcal{H}_m$ such that

$$0 \leq \beta(1|h_1, \bar{\mathbf{h}}_{-1}) < \beta(1|h'_1, \bar{\mathbf{h}}_{-1}) = 1 \text{ when } f(h_1) > f(h'_1)$$

then for all $m > 1$ $\beta(m|h'_1, \bar{\mathbf{h}}_{-1}) = 0$, there exists at least one $\bar{m} > 1$ for which $\beta(\bar{m}|h_1, \bar{\mathbf{h}}_{-1}) > 0$. Then, one can chose $\epsilon_{1,1} p_{h_1}(h_1) / p_{h_1}(h'_1) = -\epsilon_{1,2} = -\epsilon_{\bar{m},2} = -\epsilon_{\bar{m},1} p_{h_1}(h_1) / p_{h_1}(h'_1)$ and rest 0 with

$$\begin{aligned} 0 &< \epsilon_{\bar{m},2} \\ &< \min \left\{ \beta(\bar{m}|h_1, \bar{\mathbf{h}}_{-1}), (1 - \beta(1|h_1, \bar{\mathbf{h}}_{-1})) \frac{p_{h_1}(h_1)}{p_{h_1}(h'_1)} \right\}. \end{aligned}$$

◇

APPENDIX C
PROOFS OF LEMMAS 2, 4, AND 5

Proof of Lemma 2: As in Lemma 1, for any μ , if there exists a β_μ^* that satisfies:

$$\beta_\mu^*(1|\mathbf{s}) = 1_{\{d\Gamma^\alpha(\theta_1(\mu, \beta_\mu^*))f(s_1) > d\Gamma^\alpha(\theta_2(\mu, \beta_\mu^*))f(s_2)\}}$$

then it maximizes (14). Define the following for mobile 1:

$$\mu_1^\delta(h_{1,i}|h_{1,i'}) = \begin{cases} 1_{\{i=i'\}}, & \text{if } i' \neq i^* \\ \delta, & \text{if } i = i^* - 1 \text{ and } i' = i^* \\ 1 - \delta, & \text{if } i' = i = i^* \end{cases}$$

where i^* is the maximum i satisfying N.2. Define

$$\theta_{\text{low}} := \mathbb{E}_{\mathbf{h}} \left[f(h_1)\beta^*(1|m)1_{\{f(h_1) \leq f(h_{1,i^*})\}} \right].$$

Mobile 1 can deviate unilaterally from the truth-revealing strategy using μ_1^δ and increase its truth-revealing utility $\theta_1^{\alpha c}$ to a higher utility $U_1^{\text{ATA}} \geq \theta_1^{\alpha c} + \delta f(h_{i^*}) - \theta_{\text{low}}$, whenever the following conditions hold:

$$\begin{aligned} \delta f(h_{i^*}) &> \theta_{\text{low}} \\ d\Gamma^\alpha(\theta_1^{\alpha c}) - d\Gamma^\alpha(\theta_1^{\alpha c} + \delta f(h_{1,i^*-1})) &< \frac{\eta_1}{f(h_{1,i^*-1})} \\ d\Gamma^\alpha(\theta_2^{\alpha c} - \delta u_2^{\text{max}}) - d\Gamma^\alpha(\theta_2^{\alpha c}) &< \eta_2 \\ &\text{with } u_2^{\text{max}} := \max_{h_2 \in \mathcal{H}_2} f(h_2) \end{aligned}$$

with $\eta_1 + \eta_2 f(h_2) < \eta$ for all $h_2 \in \mathcal{H}_2$. This is because with the above choice of δ , the mobile 1, as in the cooperative case, will grab the channel with signal $s_1 = h_{1,i^*-1}$ because of the following:

- the corresponding ASA utility

$$U_1^{\text{ASA}} \leq \theta_1^{\alpha c} + \delta f(h_{1,i^*-1})$$

- for every α , the function $d\Gamma^\alpha(\cdot)$ is decreasing in its argument, and hence

$$\begin{aligned} d\Gamma^\alpha(U_1^{\text{ASA}}) f(h_{1,i^*-1}) &\geq d\Gamma^\alpha(\theta_1^{\alpha c} + \delta f(h_{1,i^*-1})) \\ &\quad \times f(h_{1,i^*-1}) \\ &\geq d\Gamma^\alpha(\theta_1^{\alpha c}) f(h_{1,i^*-1}) - \eta_1 \\ &\geq d\Gamma^\alpha(\theta_2^{\alpha c}) f(h_2) - \eta_1 + \eta \\ &\geq d\Gamma^\alpha(\theta_2^{\alpha c} - \delta u_2^{\text{max}}) f(h_2) - \eta_1 \\ &\quad + \eta - \eta_2 f(h_2) \\ &> d\Gamma^\alpha(\tilde{\theta}_2(\beta^*)) \\ &\quad \times f(h_2) \quad \text{for all } h_2 \in \mathcal{H}_2 \end{aligned}$$

with $\tilde{\theta}_2(\beta^*) = U_2^{\text{ATA}}(\mu^\delta, \beta_{\mu^\delta}^*)$ representing the new lower utility of the mobile 2, reduced because of the noncooperation of the mobile 1, by an amount not more than δu_2^{max} . \diamond

Proof of Lemma 4: If the $M+1$ player game were to have a TRE, the corresponding (equilibrium) strategy of the BS, by definition of the NE, should be the best response to mobiles' truthful strategies μ^T and hence will maximize $U_{\text{BS}}^\alpha(\mu^T, \beta) = G^\alpha(\beta)$. Hence, the best response for truth-revealing strategy profile μ^T indeed equals one of the maximizers of Lemma 1, which satisfies the efficiency property (5).

Let $\tilde{\beta}^*$ be any maximizer of Lemma 1. The strategy profile $(\mu^T, \tilde{\beta}^*)$ does not form an NE because: Let \tilde{m} be any mobile with nonzero cooperative share, and let \tilde{h} be its channel value with largest utility, i.e., let $\tilde{h} = \arg \max_{h \in \mathcal{H}_{\tilde{m}}} f(h)$. The mobile by changing its policy from truthful signals $\mu_{\tilde{m}}^T$ to $\mu_{\tilde{m}}(s_{\tilde{m}}|h_{\tilde{m}}) := 1_{\{s_{\tilde{m}}=\tilde{h}\}}$ for all $h_{\tilde{m}}, s_{\tilde{m}}$ increases its ATA

utilities as by (5) for any $\mathbf{h}_{-\tilde{m}}$ and for any $h \neq \tilde{h} \in \mathcal{H}_{\tilde{m}}$, $\tilde{\beta}^*(\tilde{m}|\tilde{h}, \mathbf{h}_{-\tilde{m}}) \geq \tilde{\beta}^*(\tilde{m}|h, \mathbf{h}_{-\tilde{m}})$, and hence

$$\begin{aligned} &U_{\tilde{m}}^{\text{ATA}}((\mu_{\tilde{m}}^T, \mu_{-\tilde{m}}^T), \tilde{\beta}^*) - U_{\tilde{m}}^{\text{ATA}}(\mu^T, \tilde{\beta}^*) \\ &= \sum_{\mathbf{h}} p_{\mathbf{h}}(\mathbf{h}) \left(\tilde{\beta}^*(\tilde{m}|\tilde{h}, \mathbf{h}_{-\tilde{m}}) f(h_{\tilde{m}}) - \tilde{\beta}^*(\tilde{m}|\mathbf{h}) f(h_{\tilde{m}}) \right) \\ &= \sum_{\mathbf{h}} p_{\mathbf{h}}(\mathbf{h}) f(h_{\tilde{m}}) \left(\tilde{\beta}^*(\tilde{m}|\tilde{h}, \mathbf{h}_{-\tilde{m}}) - \tilde{\beta}^*(\tilde{m}|\mathbf{h}) \right) > 0. \end{aligned}$$

Strict inequality results in the last line for all $\alpha > 0$, as all the mobiles obtain nonzero utility under an α -fair scheduler. Thus, the mobile \tilde{m} can improve its utility by unilaterally moving away from $\mu_{\tilde{m}}^T$, contradicting the definition of NE. \diamond

Proof of Lemma 5:

(i) With C_f representing upper bound on f

$$\tilde{f}(s_m, \theta_m) 1_{\{\tilde{f}(s_m, \theta_m) > 0\}} \leq C_f + \theta_m^{\alpha c} \Delta \quad \text{for all } s_m, \theta_m \geq 0.$$

Thus, the map $\theta_m \mapsto \tilde{f}_m \beta(m|\mathbf{s}) 1_{\{\tilde{f}_m > 0\}}$ is bounded and continuous for almost all values of \mathbf{s} and all m , and hence by bounded convergence theorem, the map Υ is continuous in the positive orthant. Thus, by Brouwer fixed point theorem,⁸ there exists a fixed point for Υ .

(ii) At any α -fair scheduler β^* of (2) and with $\mu = \mu^T$, it is easy to check that $\Theta^{\alpha c}$ is a fixed point (note $p_{\mathbf{s}} = p_{\mathbf{h}}$) of Υ . Also, if Θ^* is any other fixed point (note $\theta_m^* = \gamma_m(\Theta^*)$)

$$\begin{aligned} \theta_m^* - \theta_m^{\alpha c} &= \mathbb{E}_{\mathbf{h}} \left[f(h_m) \beta^*(m|\mathbf{h}) 1_{\{\tilde{f}_m > 0\}} \right] \\ &\quad - E[f(h_m) \beta^*(m|\mathbf{h})] - \Delta(\theta_m - \theta_m^{\alpha c}) \mathbb{E}_{\mathbf{h}} \left[\beta^*(m|\mathbf{h}) 1_{\{\tilde{f}_m > 0\}} \right] \end{aligned}$$

and hence for all m

$$\theta_m^* - \theta_m^{\alpha c} = - \frac{\mathbb{E}_{\mathbf{h}} \left[f(h_m) \beta^*(m|\mathbf{h}) 1_{\{\tilde{f}_m \leq 0\}} \right]}{1 + \Delta \mathbb{E}_{\mathbf{h}} \left[\beta(m|\mathbf{h}) 1_{\{\tilde{f}_m > 0\}} \right]} \leq 0$$

so that $\theta_m^* \leq \theta_m^{\alpha c}$. If $\theta_m^* < \theta_m^{\alpha c}$ for some m , then the indicator $1_{\{\tilde{f}_m \leq 0\}} = 0$ for all \mathbf{h} , and then $\theta_m^* - \theta_m^{\alpha c} = 0$, which is a contradiction. Hence, with (μ^T, β^*) , Υ has unique fixed point $\Theta^{\alpha c}$.

(iii) If Θ^* is any fixed point of Υ , irrespective of μ, β

$$\begin{aligned} \theta_m^* - \theta_m^{\alpha c} &= \frac{\mathbb{E}_{\mathbf{s}} \left[f(s_m) \beta(m|\mathbf{s}) 1_{\{\tilde{f}_m > 0\}} \right] - \theta_m^{\alpha c}}{1 + \Delta \mathbb{E}_{\mathbf{s}} \left[\beta(m|\mathbf{s}) 1_{\{\tilde{f}_m > 0\}} \right]} \\ &\leq \frac{\mathbb{E}_{\mathbf{s}} \left[f(s_m) \beta(m|\mathbf{s}) 1_{\{\tilde{f}_m > 0\}} \right]}{\Delta \mathbb{E}_{\mathbf{s}} \left[\beta(m|\mathbf{s}) 1_{\{\tilde{f}_m > 0\}} \right]} \\ &\leq \frac{C_f}{\Delta} \leq O\left(\frac{1}{\Delta}\right). \end{aligned}$$

\diamond

APPENDIX D

ASSUMPTIONS FOR STOCHASTIC APPROXIMATION-BASED ALGORITHMS

We first reintroduce some of the notations. Table III lists and describes all the various rates used in Sections VI and VII.

⁸*Brouwer fixed point theorem:* Every continuous function f from a closed ball of a Euclidean space to itself has a fixed point, i.e., an x^* that satisfies $x^* = f(x^*)$.

TABLE III
TABLE OF NOTATIONS FOR DIFFERENT RATES

Variable	Description	Vector
$r_{m,k} = f(h_{m,k})$	True rate of mobile m at time k	\mathbf{r}_k
$r_{m,k}^s = f(s_{m,k})$	Rate signaled by mobile m at time k	\mathbf{r}_k^s
$\bar{r}_{m,k} = \min\{r_{m,k}, r_{m,k}^s\}$	True rate obtained by mobile m at time k under α -FSA	
$\phi_{m,k}^\alpha = \max\{0, (r_{m,k}^s - (\theta_{m,k-1}^\alpha - \theta_m^{\alpha c})\Delta)\}$	Allocated rate by Robust fair SA to mobile m at time k	Φ_k^α
$\hat{r}_{m,k}^\alpha = \min\{r_{m,k}, \phi_{m,k}^\alpha\}$	True rate obtained by mobile m at time k under Robust fair SA	

The last column of this table provides the corresponding vector symbol for the vector of M components.

We now state the assumptions required for Sections VI and VII.

- A.1) Let ζ_k denote the past $\{(\mathbf{r}_l, \mathbf{r}_l^s) : l \leq k\}$. For each i, k, ζ_k (\mathbb{E}_k represents conditional expectation w.r.t. ζ_k)

$$\begin{aligned} \bar{h}_{m,k}(\Theta, \zeta_k) &:= \mathbb{E}_k [\phi_{m,k+1}^\alpha I_m^\alpha(\mathbf{r}_{k+1}^s, \Theta)] \\ \hat{h}_{m,k}(\Theta, \zeta_k) &:= \mathbb{E}_k [\hat{r}_{m,k+1}^\alpha I_m^\alpha(\mathbf{r}_{k+1}^s, \Theta)] \end{aligned}$$

are continuous in $\Theta \in R_+^M$. Here, Θ is considered fixed. Let $\delta > 0$ be arbitrary. The continuity is uniform in k and in ζ_k in the set $\{\Theta : \theta_i \geq \delta, i \leq M\}$.

- A.2) The sequence $\{(\mathbf{r}_l, \mathbf{r}_l^s) : l \geq 0\}$ is stationary. Define the following stationary expectations:

$$\begin{aligned} \bar{h}_m(\Theta) &= \mathbb{E} [\phi_{m,1}^\alpha I_m^\alpha(\mathbf{r}_1^s, \Theta)] \\ \hat{h}_m(\Theta) &= \mathbb{E} [\hat{r}_{m,1}^\alpha I_m^\alpha(\mathbf{r}_1^s, \Theta)]. \end{aligned}$$

In the above, Θ is considered fixed. Also

$$\begin{aligned} \lim_{k,n \rightarrow \infty} \frac{1}{k} \sum_{l=n}^{n+k-1} [\mathbb{E}_n [\phi_{m,l+1}^\alpha I_m^\alpha(\mathbf{r}_{l+1}^s, \Theta)] - \bar{h}_m(\Theta)] &= 0 \\ \lim_{k,n \rightarrow \infty} \frac{1}{k} \sum_{l=n}^{n+k-1} [\mathbb{E}_n [\hat{r}_{m,l+1}^\alpha I_m^\alpha(\mathbf{r}_{l+1}^s, \Theta)] - \hat{h}_m(\Theta)] &= 0 \end{aligned}$$

in the sense of probability. There are small positive δ and δ_1 such that for every $m \leq M$

$$\begin{aligned} P \left\{ \frac{r_{m,k}^s}{d_m} \geq \frac{r_{j,k}^s}{d_j} + \delta_1, j \neq m \right\} &> 0, \quad \text{if } \alpha = 1 \\ P \left\{ \frac{r_{m,k}^s}{d_m^{1-\alpha}} \geq \frac{r_{j,k}^s}{(d_j - \delta)^{1-\alpha}} + \delta_1, j \neq m \right\} &> 0, \quad \text{else.} \end{aligned}$$

- A.3) True and signaled rates $\{(\mathbf{r}_l, \mathbf{r}_l^s); l \geq 0\}$ are defined on some compact set and have bounded joint density.

Remark VIII-1: The assumption A.1 can be ensured as in Lemma 7 given the assumption A.3.

APPENDIX E PROOF OF LEMMA 7

Lemma 7: Define the following functions⁹:

$$\psi_m(\Theta) := \mathbb{E}_s [\phi_m^\alpha I_m^\alpha(\Phi^\alpha, \Theta)], \quad \hat{\psi}_m(\Theta) := \mathbb{E}_s [\hat{r}_m^\alpha I_m^\alpha(\Phi^\alpha, \Theta)].$$

Then, the functions ψ_m, \bar{h}_m are continuously differentiable, while the functions $\hat{\psi}_m, \hat{h}_m$ are locally Lipschitz, both w.r.t. Θ for every m .

Proof: The result is implied for both the robust policies if we prove the first statement for $\psi_m, \hat{\psi}_m$. By independence of channel states $\{h_m\}$ across the mobiles

$$\begin{aligned} \psi_m(\Theta) &= \mathbb{E}_{s_m} [\phi_m^\alpha(s_m, \theta_m) \prod_{j \neq m} \Pr(A_j(r_m^s, \Theta))] \text{ with} \\ A_j(r_m^s, \Theta) &:= \left\{ r_j^s : r_j^s \leq (\theta_j - \theta_j^{\alpha c}) \Delta \right. \\ &\quad \left. + (r_m^s - (\theta_m - \theta_m^{\alpha c}) \Delta) \left(\frac{\theta_j + d_j}{\theta_m + d_m} \right)^\alpha \right\}. \end{aligned}$$

Note in the definition of the sets A_j , the flag $1_{\{\phi_m^\alpha > 0\}}$ is dropped, as for the samples with the flag equal to 0, integrand would anyway be zero. The first part of the lemma is proved by BCT if we show that the functions $\{\Pr(A_j(s_m, \Theta))\}_{j \neq m}$ and $\phi_m^\alpha(s_m, \theta_m)$ are continuously differentiable (w.r.t. Θ) with uniformly bounded derivatives for almost all s_m . This is immediately evident for ϕ_m^α . The same holds for $\{\Pr(A_j(s_m, \Theta))\}_{j \neq m}$ by assumption A.3 as

$$\begin{aligned} \frac{\partial \Pr(A_j(r_m^s, \Theta))}{\partial \theta_l} &= g_{s_j}(\kappa) \frac{d\kappa(r_m^s, \Theta)}{d\theta_l} \\ \kappa(r_m^s, \Theta) &= (r_m^s - (\theta_m - \theta_m^{\alpha c}) \Delta) \frac{\theta_j + d_j}{\theta_m + d_m} \\ &\quad + (\theta_j - \theta_j^{\alpha c}) \Delta \end{aligned} \quad (34)$$

for $l = m, j$, where g_{s_j} is the (bounded) density of signaled rates r_j^s . Note in the above that the continuous derivative $d\kappa/d\theta_l$ will also be uniformly bounded for all Θ coming from a compact set because of boundedness of f , i.e., of r_m^s .

Easy to see that $\hat{r}_m^\alpha(r_m^s, \theta_m) - \hat{r}_m^\alpha(r_m^s, \theta'_m) \leq \Delta |\theta_m - \theta'_m|$. Hence, with C_f representing the upper bound on function f

$$\begin{aligned} \hat{\psi}^\alpha(\Theta) - \hat{\psi}^\alpha(\Theta') &= \mathbb{E}_s \hat{r}_m^\alpha(r_m^s, \theta_m) - \hat{r}_m^\alpha(r_m^s, \theta'_m) I_m^\alpha(\Phi^\alpha, \Theta) \\ &\quad + \mathbb{E}_s \hat{r}_m^\alpha(r_m^s, \theta'_m) I_m^\alpha(\Phi^\alpha, \Theta) - I_m^\alpha(\Phi^\alpha, \Theta') \\ &\leq \Delta |\theta_m - \theta'_m| \mathbb{E}_s [I_m^\alpha(\Phi^\alpha, \Theta)] \\ &\quad + C_f \mathbb{E}_s [I_m^\alpha(\Phi^\alpha, \Theta) - I_m^\alpha(\Phi^\alpha, \Theta')]. \end{aligned}$$

The lemma follows from the uniform boundedness of the derivative in (34) and the mean value theorem. \diamond

REFERENCES

- [1] G. Bianchi, A. Di Stefano, C. Giaconia, L. Scalia, G. Terrazzino, and I. Tinnirello, "Experimental assessment of the backoff behavior of commercial IEEE 802.11b network cards," in *Proc. IEEE INFOCOM*, May 2007, pp. 1181–1189.
- [2] S. Mare, D. Kotz, and A. Kumar, "Experimental validation of analytical performance models for IEEE 802.11 networks," in *Proc. WISARD*, Jan. 2010, pp. 1–8.

⁹These functions correspond to Robust Policy 2 and are equivalent of the functions \bar{h} [given by (27)] and \hat{h} [given by (28)] defined for Robust Policy 1.

- [3] Qualcomm, Inc., "1xEV:1x evolution IS-856 TIA/EIA standard airlink overview," Nov. 2001.
- [4] 3GPP, "3GPP TS 25.308, Technical specification 3rd Generation Partnership Project; Technical specification group radio access network; High speed downlink packet access (HSDPA)," Overall description; Stage 2, Release 8, V8.3.0, Sep. 2008.
- [5] R. Agrawal, A. Bedekar, R. J. La, and V. Subramanian, "Class and channel condition based weighted proportional fair scheduler," in *Proc. ITC-17*, 2001, pp. 553–565.
- [6] E. Altman and J. Galtier, "Generalized Nash bargaining solution for bandwidth allocation," in *Proc. COMNET 50*, 2006, pp. 3242–3263.
- [7] R. J. Aumann, "Subjectivity and correlation in randomized strategies," *J. Math. Econ.*, vol. 1, pp. 67–96, 1974.
- [8] C. Touati, E. Altman, and J. Galtier, "Fair power and transmission rate control in wireless networks," in *Proc. IEEE GLOBECOM*, Nov. 2002, vol. 2, pp. 1229–1233.
- [9] D. M. Andrews, K. Kumaran, K. Ramanan, A. L. Stolyar, R. Vijayakumar, and P. A. Whiting, "Scheduling in a queueing system with asynchronously varying service rates," *Prob. Eng. Inf. Sci.*, vol. 18, pp. 191–217, 2004.
- [10] P. Bender, P. Black, M. Grob, R. Padovani, N. Sindhushayana, and A. Viterbi, "CDMA/HDR: A bandwidth-efficient high-speed wireless data service for nomadic mobiles," *IEEE Commun. Mag.*, vol. 38, no. 7, pp. 70–77, Jul. 2000.
- [11] A. Benveniste, M. Metivier, and P. Priouret, *Adaptive Algorithms and Stochastic Approximation*. New York, NY, USA: Springer-Verlag, Apr. 1990.
- [12] R. Bhatia, *Matrix Analysis*, ser. Graduate Texts in Mathematics. New York, NY, USA: Springer-Verlag, 1997, vol. 169.
- [13] S. C. Borst and P. A. Whiting, "Dynamic rate control algorithms for HDR throughput optimization," in *Proc. IEEE INFOCOM*, 2001, pp. 976–985.
- [14] E. F. Chaponniere, P. J. Black, J. M. Holtzman, and D. N. C. Tse, "Transmitter directed code division multiple access system using path diversity to equitably maximize throughput," US Patent 6,449,490, Sep. 10, 2002.
- [15] V. Kavitha, E. Altman, R. El-Azouzi, and R. Sundareshan, "Opportunistic scheduling in cellular systems in the presence of non-cooperative mobiles," in *Proc. CDC*, 2009, pp. 8581–8587.
- [16] V. Kavitha, E. Altman, R. El-Azouzi, and R. Sundareshan, "Opportunistic scheduling in cellular systems in the presence of noncooperative mobiles," *IEEE Trans. Inf. Theory*, vol. 58, no. 3, pp. 1757–1773, Mar. 2012.
- [17] V. Kavitha, E. Altman, R. Sundareshan, and R. El-Azouzi, "Fair scheduling in cellular systems in the presence of noncooperative mobiles," in *Proc. IEEE INFOCOM*, 2010, pp. 1–9.
- [18] H. J. Kushner and P. A. Whiting, "Convergence of proportional-fair sharing algorithms under general conditions," *IEEE Trans. Wireless Commun.*, vol. 3, no. 4, pp. 1250–1259, Jul. 2004.
- [19] V. K. N. Lau, "A proportional fair space-time scheduling for wireless communications," *IEEE Trans. Commun.*, vol. 53, no. 8, p. 747, Aug. 2005.
- [20] X. Liu, E. K. P. Chong, and N. B. Shroff, "A framework for opportunistic scheduling in wireless networks," *Comput. Netw.*, vol. 41, pp. 451–474, 2003.
- [21] J. Mo and J. Walrand, "Fair end-to-end window-based congestion control," *IEEE/ACM Trans. Netw.*, vol. 8, no. 5, pp. 556–567, Oct. 2000.
- [22] J. B. Rosen, "Existence and uniqueness of equilibrium points for concave N-person games," *Econometrica*, vol. 33, pp. 520–534, Jul. 1965.
- [23] S. Shakkottai and A. L. Stolyar, "Scheduling algorithms for a mixture of real-time and non-real-time data in HDR," in *Proc. ITC-17*, 2001, pp. 793–804.
- [24] A. L. Stolyar, "On the asymptotic optimality of the gradient scheduling algorithm for multiuser throughput allocation," *Oper. Res.*, vol. 53, no. 1, pp. 12–15, Jan–Feb 2005.
- [25] J. Sobel, "Signaling games," in *Encyclopedia of Complexity and System Science*, M. Sotomayor, Ed. New York, NY, USA: Springer, 2009.
- [26] K. Tuna, "Hacking EVDO," in *Proc. Defcon 15*, 2007.

Veeraruna Kavitha received the B.E. degree in electronics from University Visvesvaraya College of Engineering (UVCE), Bangalore, India, in 1994, and the M.Sc. (Eng.) and Ph.D. degrees in electrical engineering and electrical and computer engineering from the Indian Institute of Science (IISc), Bangalore, India, in 2002 and 2007, respectively.

From 1994 to 2000, she was involved in the design and development of GPS and Voice band modems with Accord Software and Systems, Bangalore, India. She was a National Board for Higher Mathematics (NBHM) Postdoctoral Fellow with the Tata Institute of Fundamental Research (TIFR), Bangalore, India, from 2007 to 2008. Between 2008 and 2012, she was a Postdoctoral Researcher with MAESTRO, INRIA, Sophia Antipolis and LIA Avignon, France. Since 2012, she has been an Assistant Professor with the Department of IEOR, Indian Institute of Technology (IIT), Bombay, India. Her research interests span communication theory, wireless networks, signal processing, game theory, optimal control, and optimization.

Eitan Altman (M'93–SM'00–F'10) received the B.Sc. degree in electrical engineering, the B.A. degree in physics, and the Ph.D. degree in electrical engineering from the Technion—Israel Institute of Technology, Haifa, Israel, in 1984, 1984, 1990, respectively, and the B.Mus. degree in music composition from Tel-Aviv University, Tel-Aviv, Israel, in 1990.

Since 1990, he has been a Researcher with the National Research Institute in Computer Science and Control (INRIA), Sophia-Antipolis, France. His areas of interest include networking, stochastic control, and game theory.

Dr. Altman has been on the editorial boards of several scientific journals: *Wireless Networks*, *Computer Networks*, *Computer Communications*, *Journal of Discrete Event Dynamic Systems*, *SIAM Journal of Control and Optimisation*, *Stochastic Models*, and the *Journal of Economy Dynamic and Control*. He received the Best Paper Award in the Networking 2006, GLOBECOM 2007, and IFIP Wireless Days 2009 conferences. He is a coauthor of two papers that have received the Best Student Paper awards (at QoFis 2000 and at Networking 2002).

R. El-Azouzi received the Ph.D. degree in applied mathematics from the Mohammed V University, Rabat, Morocco, in 2000.

He joined the National Research Institute in Informatics and Control (INRIA), Sophia-Antipolis, France, for Postdoctoral and Research Engineer positions. Since 2003, he has been a Researcher with the University of Avignon, Avignon, France. His research interests are networking games, biologically inspired networks, performance evaluation, learning algorithms, delay-tolerant networks, mean field, radio resource management, and epidemic networks.

Dr. El-Azouzi received the Best Paper Award in the Networking 2006, Mobile Ad-hoc and Sensor Networks (MSN) 2007, and IEEE GLOBECOM 2007 conferences.

Rajesh Sundareshan (S'96–M'00–SM'06) received the B.Tech. degree in electronics and communication from the Indian Institute of Technology, Madras, India, in 1994, and the M.A. and Ph.D. degrees in electrical engineering from Princeton University, Princeton, NJ, in 1996 and 1999, respectively.

From 1999 to 2005, he was with Qualcomm, Inc., Campbell, CA, working on the design of communication algorithms for wireless modems. Since 2005, he has been with the Department of Electrical Communication Engineering, Indian Institute of Science, Bangalore, India. His interests are in the areas of communication networks and information theory